

CITY OF DAPHNE
1705 MAIN STREET, DAPHNE, AL
CITY COUNCIL BUSINESS MEETING AGENDA
Monday, February 19, 2024 at 6:00 P.M.

1. CALL TO ORDER

2. ROLL CALL

INVOCATION Dr. Barry Carpenter, Resurrection Church

PLEDGE OF ALLEGIANCE

3. APPROVE MINUTES: February 5, 2024 regular meeting

4. REPORTS OF STANDING COMMITTEES

A. FINANCE COMMITTEE – Phillips

MOTION to renew the City’s annual insurance policy with Robertson Insurance Agency, Inc. for the third year discounted term of the three year policy for the amount of \$827,929 to include a new Cyber policy with CFC.

MOTION to renew the City’s annual insurance policy with Robertson Insurance Agency, Inc. for the third year discounted term of the three year policy of the amount of \$816,854 including changing the Law Enforcement Liability Deductible from \$5,000 to \$10,000 and a new Cyber Policy with CFC.

MOTION to renew the City’s annual insurance policy with Robertson Insurance Agency, Inc. for the third year discounted term of the three year policy for the amount of \$807,849 including changing the Law Enforcement Liability Deductible from \$5,000 to \$25,000 and a new Cyber Policy with CFC.

B. BUILDINGS & PROPERTY COMMITTEE – Goodlin

Review the minutes from the January 2024 meeting and the January 2024 new Construction and Building Reports.

Certificates of Occupancy: 22

Permits Issues: 296

New Residential Home Permits: 64

Total Fees: \$171,783.56

C. PUBLIC SAFETY COMMITTEE – Hughes

D. CODE ENFORCEMENT/ORDINANCE COMMITTEE – Scott

MOTION to renew the City’s annual insurance policy with John A. Robertson Insurance Agency, Inc. for the first year discounted term of the three year policy for the amount of _____.

E. PUBLIC WORKS COMMITTEE – Conaway

5. REPORTS OF SPECIAL BOARDS & COMMISSIONS

A. BOARD OF ZONING ADJUSTMENTS – Adrienne Jones

Review the minutes from the January 4th meeting and the summarization from the February 1st meeting.

B. DAPHNE PUBLIC SCHOOL COMMISSION – Conaway/Olen

City Council Agenda – February 19, 2024

C. DOWNTOWN REDEVELOPMENT AUTHORITY – Conaway

D. INDUSTRIAL DEVELOPMENT BOARD – Scott

E. LIBRARY BOARD – Goodlin

F. PLANNING COMMISSION – Olen

G. RECREATION BOARD – Hughes

H. UTILITY BOARD – Coleman
Review the minutes from the November meeting.

6. PUBLIC PARTICIPATION

7. MAYOR’S REPORT

8. CITY ATTORNEY REPORT

9. DEPARTMENT HEAD REPORTS

10. CITY CLERK’S REPORT

11. RESOLUTIONS:

2024 – 05 – 2024-B-Concrete Material – Negotiated – Bid Award: Ready Mix USA

2024 – 06 – Appropriation for Additional Cyber Insurance Coverage - \$15,000

12. 2nd READ ORDINANCES:

13. 1st READ ORDINANCES:

2024 – 02 – Floodplain Development Ordinance

2024 – 03 – Ordinance Consenting to the Sale by the Utilities Board of the City of Daphne of Certain Surplus Personal Property

14. COUNCIL COMMENTS

15. ADJOURN

February 5, 2024
CITY COUNCIL MEETING
REGULAR BUSINESS MEETING
1705 MAIN STREET
DAPHNE, AL
6:00 P.M.

1. **CALL TO ORDER:**

There being a quorum present Council President Steve Olen called the meeting to order at 6:02pm.

2. **ROLL CALL:**

COUNCIL MEMBERS PRESENT: Tommie Conaway, Ron Scott, Doug Goodlin, Ben Hughes, Steve Olen and Joel Coleman

COUNCIL MEMBERS ABSENT: Angie Phillips

Also Present: Jay Ross, City Attorney; Mayor LeJeune; Candace Antinarella, City Clerk; Chief Brian Gulsby, Police; Troy Strunk, City Development; Adrienne Jones, Planning; Ben Davis, Recreation; Kellie Reid, Finance; Vickie Hinman, Human Resources; Mary Kinney, Library; Kent Ward, Junior Councilmember; Sunny Blackwood, Junior Councilmember; Abby English, Junior Councilmember; and Jessica Linne, Assistant City Clerk.

INVOCATION/PLEDGE OF ALLEGIANCE

Invocation was given by Pastor Jonathon Duke, 3 Circle Church.

PRESENTATION: Mayor LeJeune presented a check to the Daphne High School Cheer Team in support of their traveling to compete in Nationals.

PRESENTATION: Wilks Tickle presented on his proposed Eagle Scout Project.

**MOTION by Councilman Coleman to approve the project proposed by Wilks Tickle. Seconded by Councilwoman Conaway.
MOTION CARRIED UNANIMOUSLY.**

3. **APPROVAL OF MINUTES:**

The minutes from the January 2, 2024 regular meeting and January 8, 2024 Special Called Meeting were approved.

4. **REPORT OF STANDING COMMITTEES:**

A. **FINANCE COMMITTEE**

Councilwoman Phillips was absent. Councilwoman Conway said the minutes from the January 16th meeting are in the packet gave the Treasurer's Report for December 2023: Unrestricted Fund Balance-\$23,581,501; Total Cash Balance-\$50,123,239; Sales tax for November 2023 - \$2,192,062.30; Lodging Tax for November 2023-\$116,759.61; Debt Summary for November 2023: Warrants-\$33,545,442; Capital Leases: General Fund-\$654,516; Enterprise Fund -\$723,300.

**MOTION by Councilwoman Conaway to authorize the Mayor to enter into an agreement with Carey Technology for the City of Daphne redistricting for the 2025 election cycle. No second was needed.
MOTION CARRIED UNANIMOUSLY.**

B. **BUILDINGS & PROPERTY COMMITTEE**

Councilman Goodlin said the minutes from the December 2023 meeting and the December 2023 new Construction and Building Reports were in the packet. He said out of those reports were 33 certificates of occupancy, 175 permits issued with 6 new residential home permits totaling \$39,504.17. He said the next meeting is March 11th at 5:15pm.

February 5, 2024
CITY COUNCIL MEETING
REGULAR BUSINESS MEETING
1705 MAIN STREET
DAPHNE, AL
6:00 P.M.

C. PUBLIC SAFETY COMMITTEE

Councilman Hughes said the minutes from the January meeting were in the packet and the next meeting is March 11th at 4:30pm.

D. CODE ENFORCEMENT/ORDINANCE COMMITTEE

Councilman Scott said the next meeting is March 4th at 4:30pm.

E. PUBLIC WORKS COMMITTEE

Councilwoman Conaway said the minutes from the December meeting were in the packet and the next meeting is March 4th at 5:15pm.

MOTION by Councilman Scott to reappoint Elliot Riser to the Environmental Advisory Committee for a two-year term until February 2026. Seconded by Councilman Goodlin.

MOTION CARRIED UNANIMOUSLY.

MOTION by Councilman Goodlin to reappoint Justice Manning to the Environmental Advisory Committee for a two-year term until February 2026. Seconded by Councilman Hughes.

MOTION CARRIED UNANIMOUSLY.

MOTION by Councilman Scott to reappoint Cathy Barnette to the Environmental Advisory Committee for a two-year term until February 2026. Seconded by Councilman Hughes.

MOTION CARRIED UNANIMOUSLY.

MOTION by Councilman Scott to reappoint John Lake to the Environmental Advisory Committee for a two-year term until February 2026. Seconded by Councilman Goodlin.

MOTION CARRIED UNANIMOUSLY.

MOTION by Councilman Goodlin to reappoint Mathew Laws to the Environmental Advisory Committee for a two-year term until February 2026. Seconded by Councilman Coleman.

MOTION CARRIED UNANIMOUSLY.

5. REPORTS OF SPECIAL BOARDS & COMMISSIONS:

A. Board of Zoning Adjustments

Mrs. Jones said the next meeting is March 7th at 6:00pm and the minutes from the December 7th meeting and the summarization of the January 4th meeting are in the packet.

B. Daphne Public School Commission

Councilwoman Conaway said the next meeting will be February 26th at 5:30pm at Daphne Middle School.

C. Downtown Redevelopment Authority

Councilwoman Conaway said the next meeting is February 15th at 5:30pm.

D. Industrial Development Board

Councilman Scott said the Board had two meetings last month and are making progress on the DISC project. He said the next meeting is February 20th at 4:30pm.

**February 5, 2024
CITY COUNCIL MEETING
REGULAR BUSINESS MEETING
1705 MAIN STREET
DAPHNE, AL
6:00 P.M.**

E. Library Board

Councilman Goodlin said the next meeting is February 8th at 4:30pm.

F. Planning Commission

Councilman Olen said the next meeting is February 22nd at 5:00pm.

G. Recreation Board

Councilman Hughes said the next meeting is February 21st at 6:00pm.

H. Utility Board

Councilman Coleman said the next meeting is February 28th at 5:00pm.

6. PUBLIC PARTICIPATION:

Public Participation opened at 6:19pm.

No one came forward to speak. Public Participation closed at 6:19pm.

7. MAYOR'S REPORT:

Mayor LeJeune said it was great to have the Daphne Cheerleaders and Boy Scouts represented in the City. He mentioned the City had multiple parades for the Mardi Gras season. He said he was able to go with Troy Strunk to Washington, D.C. recently to meet with some officials. He shared that the City's Arbor Day event and Public Works Day event is coming up soon.

8. CITY ATTORNEY REPORT:

City Attorney said there was no report except for the Council to consider going into Executive Session at the end of the meeting for 15-20 minutes.

9. DEPARTMENT HEAD COMMENTS:

Chief Gulsby, Police, mentioned the new K9 Officer started last week and other officers were in training at Orange Beach.

Ange Baggett, Marketing, shared about upcoming Mardi Gras events and invited everyone to the May 4th May Day Celebration.

Mary Kinney, Interim Library Director, invited the Council to upcoming events at the Library.

Vickie Hinman, Human Resources, said the new Library Director will start February 21st and the City has multiple other open job positions.

Ben Davis, Recreation, shared about sports clinics and events at the Daphne fields.

Troy Strunk, City Development, said he was able to accompany the Mayor to Washington, D.C. and speak with members of Congress regarding the developments in Daphne. He thanked Adams and Reese for setting the meetings up.

10. CITY CLERK'S REPORT:

**MOTION by Councilwoman Conaway to approve the Loyal Order of the Firetruck Parade on February 11, 2024 from 2:29pm – 4:00pm in Olde Towne. Seconded by Councilman Goodlin.
MOTION CARRIED UNANIMOUSLY.**

February 5, 2024
CITY COUNCIL MEETING
REGULAR BUSINESS MEETING
1705 MAIN STREET
DAPHNE, AL
6:00 P.M.

**MOTION by Councilwoman Conaway to approve the LSK Lupus Walk on March 16, 2024 from 8:00am – 12:00pm. Seconded by Councilman Scott.
MOTION CARRIED UNANIMOUSLY.**

**MOTION by Councilwoman Conaway to approve the O'Mancis 5th Annual St. Patrick's Day on March 16, 2024 from 5:00pm – 10:00pm with a street closure from Belrose and Main Street to the west side of the parking lot behind Mancis's. Seconded by Councilman Hughes.
MOTION CARRIED UNANIMOUSLY.**

**MOTION by Councilwoman Conaway to approve the 140 – Special Events Retail to Mancis Antique LLC dba Mancis Antique Club 5th Annual St Pats located at 704 Belrose Avenue, Daphne, Alabama. Seconded by Councilman Hughes.
MOTION CARRIED UNANIMOUSLY.**

**MOTION by Councilman Coleman to approve the City of Daphne May Day Celebration on May 4, 2024 at May Day Park. Seconded by Councilman Hughes.
MOTION CARRIED UNANIMOUSLY.**

**MOTION by Councilman Coleman to approve the Ballin' on Belrose Run/Walk Challenge Fundraiser on May 18, 2024 from 7:00am – 12:00pm with a road closure of Belrose Avenue. Seconded by Councilman Hughes.
MOTION CARRIED UNANIMOUSLY.**

**MOTION by Councilman Hughes to approve the City of Daphne July 4th Fireworks on July 4, 2024 at 9:00pm at Al Trione Sports Complex. Seconded by Councilman Coleman.
MOTION CARRIED UNANIMOUSLY.**

**MOTION by Councilman Scott to approve the City of Daphne Annual Tree Lighting on December 5, 2024 from 5:00 – 8:00pm with road closures of Main Street from Belrose Avenue to Trione Street as well as Mancis Avenue. Seconded by Councilman Hughes.
MOTION CARRIED UNANIMOUSLY.**

**MOTION by Councilman Coleman to approve the City of Daphne Christmas Parade on December 7, 2024 from 11:00am – 1:00pm with a rain make up date of December 14, 2024. Seconded by Councilwoman Conaway.
MOTION CARRIED UNANIMOUSLY.**

**MOTION by Councilman Hughes to approve the 050 – Retail Beer (Off Premises Only) and 070 – Retail Table Wine (Off Premises Only) to Lake Forest 1 LLC dba Chips to Go located at 29279 US Highway 181, Daphne, Alabama. Seconded by Councilwoman Conaway.
MOTION CARRIED UNANIMOUSLY.**

**MOTION by Councilman Hughes to approve the 050 – Retail Beer (Off Premises Only) and 070 – Retail Table Wine (Off Premises Only) to Malbis Shell LLC dba Chips to Go located at 29640 State Highway 181, Daphne, Alabama. Seconded by Councilman Coleman.
MOTION CARRIED UNANIMOUSLY.**

February 5, 2024
CITY COUNCIL MEETING
REGULAR BUSINESS MEETING
1705 MAIN STREET
DAPHNE, AL
6:00 P.M.

MOTION by Councilman Hughes to approve the 050 – Retail Beer (Off Premises Only) and 070 – Retail Table Wine (Off Premises Only) to Jubilee Shell LLC dba Chips to Go located at 6851 Highway 90 E, Daphne, Alabama. Seconded by Councilman Coleman.

MOTION CARRIED UNANIMOUSLY.

MOTION by Councilman Scott to approve the publication and set a public hearing on March 18, 2024 for the 68V Baldwin Land Holdings, LLC, Sharon and John Boni, Sharon, Thomas and John Boni, and Sharon Boni, representative of Thelma Boni Estate Pre-Zoning Amendment located Southwest of the Intersection of County Road 13 and Milton Jones Road. Seconded by Councilwoman Conaway.

MOTION CARRIED UNANIMOUSLY.

MOTION by Councilman Scott to approve the publication and set a public hearing on March 18, 2024 for the 68V Baldwin Land Holdings, LLC, Sharon and John Boni, Sharon, Thomas and John Boni, and Sharon Boni, representative of Thelma Boni Estate Annexation Petition located Southwest of the Intersection of County Road 13 and Milton Jones Road. Seconded by Councilwoman Conaway.

MOTION CARRIED UNANIMOUSLY.

City Clerk asked the Council to pull the following motions requesting approval of 5k permits to allow the City to reevaluate the 5k route: *Miles for Missions 5k/Fun Run, Buckaroo Stampede 5k/Fun Run and Turkey Trot 5k/Fun Run*. She said the permit applications will be reconsidered at a later Council meeting.

11. RESOLUTIONS:

2024 – 03 – Acceptance of Roads and Rights-of-Ways, Hope Vineyard, Phase 1A

2024 – 04 – Acceptance of Roads and Rights-of-Ways, Hope Vineyard, Phase 3

MOTION by Councilman Scott to waive the reading of Resolutions 2024-03 and 2024-04. Seconded by Councilman Goodlin.

MOTION CARRIED UNANIMOUSLY.

MOTION by Councilman Scott to adopt Resolution 2024-03. Seconded by Councilman Hughes.

MOTION CARRIED UNANIMOUSLY.

MOTION by Councilman Scott to adopt Resolution 2024-04. Seconded by Councilman Hughes. Councilman Scott asked Mr. Strunk about the barricades at Hope Vineyard. Mr. Strunk said he would look into it.

MOTION CARRIED UNANIMOUSLY.

12. 2ND READ ORDINANCES:

2024 – 01 – Amendment to Business License Ordinance 2004-11 – Establishing a new Classification for Medical Cannabis Dispensary

MOTION by Councilman Hughes to waive the reading of Ordinance 2024-01. Seconded by Councilman Scott.

MOTION CARRIED UNANIMOUSLY.

February 5, 2024
CITY COUNCIL MEETING
REGULAR BUSINESS MEETING
1705 MAIN STREET
DAPHNE, AL
6:00 P.M.

**MOTION by Councilman Hughes to adopt Ordinance 2024-01. Seconded by Councilman Scott.
MOTION CARRIED UNANIMOUSLY.**

13. 1ST READ ORDINANCES:

14. COUNCIL COMMENTS:

Mayor LeJeune wished everyone a Happy Mardi Gras and invited all to enjoy the parades.

15. EXECUTIVE SESSION:

City Attorney certified that the Council should enter into an Executive Session concerning matters of buying and selling of real property. He said it should take 15-20 minutes and the Council should have no reason to vote.

MOTION by Councilman Scott to enter into Executive Session. Seconded by Councilman Coleman.

City Clerk called roll.

Councilwoman Conaway	Aye
Councilman Coleman	Aye
Councilman Goodlin	Aye
Councilman Scott	Aye
Councilman Hughes	Aye
Councilwoman Phillips	Absent
Council President Olen	Aye
MOTION CARRIED UNANIMOUSLY.	

16. ADJOURN:

THERE BEING NO FURTHER BUSINESS TO DISCUSS, COUNCIL ADJOURNED INTO EXECUTIVE SESSION AT 6:50PM.

Respectfully submitted by,

Certification of Presiding Officer,

Candace G. Antinarella, MMC, City Clerk

Steve Olen, Council President

BUILDINGS & PROPERTY COMMITTEE MEETING

January 8, 2024, 5:15 p.m.

**City Hall, Jubilee Conference Room
1705 Main Street, Daphne, AL 36526**

MEETING MINUTES

MEMBERS PRESENT: Councilwoman Phillips, Councilman Coleman, Councilman Hughes, Councilman Olen, Councilwoman Conaway and Councilman Scott

MEMBERS ABSENT: Councilman Goodlin

ALSO PRESENT: Candace Antinarella, City Clerk; Mayor LeJeune; Patrick Dungan, City Attorney; Troy Strunk, City Development; Kelli Reid, Finance; Ange Baggett, Marketing; and Charlie McDavid, Recreation.

1) CALL MEETING TO ORDER / ROLL CALL

There being a quorum present Councilman Hughes called the meeting to order at 5:15p.m.

2) MINUTES

Councilman Hughes reviewed the minutes from the December meeting.

3) PUBLIC PARTICIPATION

No one came forward to speak.

4) BUILDING INSPECTION REPORT

There was no report.

5) CIVIC CENTER & BAYFRONT PAVILION REPORT

Ange Baggett shared the Civic Center Report.

6) RECREATION REPORT

Charlie McDavid gave the Recreation Report. He said basketball is starting up.

7) LIBRARY REPORT

Mary Kinney, Interim Director, gave the Library Report.

8) VILLAGE POINT BAYFRONT PROPERTIES REPORT

There was no report.

9) FACILITIES REPORT

Ronnie Huskey gave the Public Works Report.

10) OLD BUSINESS

11) NEW BUSINESS

12) ANY OTHER BUILDINGS AND PROPERTY BUSINESS

13) NEXT MEETING

The next meeting is scheduled for Monday, February 12, 2024 at 5:15 p.m.

14) ADJOURN

There being no further business to discuss, the Committee adjourned at 5:35pm.

City of Daphne Building Department

2020 / 2021 / 2022 / 2023 / 2024 Comparison Report

	Fees Collected					Permits Issued					CO's Issued				
	2020	2021	2022	2023	2024	2020	2021	2022	2023	2024	2020	2021	2022	2023	2024
Oct	\$93,181.87	\$94,131.53	\$84,303.63	\$47,086.96	\$83,798.35	215	357	308	192	224	11	31	40	28	32
Nov	\$62,198.00	\$109,387.14	\$91,672.49	\$50,279.03	\$27,147.62	223	378	351	286	166	26	30	30	36	24
Dec	\$233,529.32	\$101,471.36	\$128,605.99	\$57,070.59	\$39,504.17	252	383	296	216	178	33	43	53	36	33
Jan	\$118,498.03	\$132,049.79	\$259,810.62	\$33,804.54	\$171,783.56	270	372	350	152	296	14	24	36	33	22
Feb	\$140,560.44	\$97,396.64	\$129,315.56	\$44,081.76		308	350	292	169		33	32	32	31	
Mar	\$77,067.98	\$95,472.42	\$116,358.20	\$30,603.28		362	391	431	181		45	52	84	44	
Apr	\$94,394.17	\$80,088.89	\$60,816.35	\$76,873.19		272	373	324	212		32	40	42	27	
May	\$95,010.56	\$101,848.37	\$65,454.25	\$147,875.62		294	380	306	288		39	42	48	20	
June	\$179,966.08	\$100,508.32	\$147,395.66	\$234,524.02		399	394	355	308		49	50	34	25	
July	\$77,442.81	\$78,547.74	\$87,733.72	\$100,809.42		323	408	305	267		45	29	23	13	
Aug	\$105,147.77	\$59,376.50	\$61,504.63	\$60,342.37		307	309	299	192		34	30	19	4	
Sept	\$71,226.36	\$93,879.09	\$140,065.18	\$108,322.22		352	442	328	277		35	48	40	34	
Total	\$1,348,223.39	\$1,144,157.79	\$1,373,036.28	\$991,701.56	\$322,233.70	3577	4537	3945	2740	864	396	451	481	331	111
Percent	NA	-15.14%	20.00%	-27.77%		NA	26.84%	-13.05%	-30.54%		NA	13.89%	6.65%	-31.19%	

January FY2024 Notes

Building Inspections-

296 Permits issued, 22 Certificate Of Occupancies issued, and 64 New home permits issued

INSURANCE RENEWAL COMPARISON

	2024	2023	2022
<u>AMIC Issued Policies:</u>			
Commercial Liability			
Comprehensive General Liability	52,232.00	58,778.00	57,918.00
Public Official Liability	29,202.00	37,183.00	36,671.00
Law Enforcement Liability	117,861.00	80,872.00	62,175.00
Employee Benefit Liability	1,078.00	1,078.00	1,078.00
Excess Liability - Auto	22,500.00	22,500.00	22,500.00
	<u>222,873.00</u>	<u>200,411.00</u>	<u>180,342.00</u>
Cyber	2,311.00	2,145.00	-
Commerical Automobile	259,153.00	250,168.00	214,432.00
Commercial Property	285,106.00	211,790.00	162,579.00
Scheduled Equipment	<u>44,672.00</u>	<u>42,233.00</u>	<u>39,622.00</u>
Subtotal AMIC	814,115.00	706,747.00	596,975.00
<u>Non-AMIC Issued Policies:</u>			
Employee Dishonesty Crime Policy	5,667.00	5,667.00	5,667.00
Volunteer/Comm Service Policy	1,046.00	1,046.00	406.00
Subtotal Non-AMIC	<u>6,713.00</u>	<u>6,713.00</u>	<u>6,073.00</u>
Total Insurance Proposal	820,828.00	713,460.00	603,048.00



COMMUNITY DEVELOPMENT

CITY OF DAPHNE
BOARD OF ZONING ADJUSTMENT AGENDA
FEBRUARY 1, 2024 - 6:00 P.M.
COUNCIL CHAMBERS, CITY HALL

1. CALL TO ORDER - 6:00 p.m.
2. CALL OF ROLL - Present C. Courson, D. Wolstenholme, C. Covert, A. Harper, T. Quinnelly
3. APPROVAL OF MINUTES - Approved

January 4, 2024

4. OLD BUSINESS - None
5. NEW BUSINESS

Appeal #2024-02 Jubilee Gymnastics Academy, LLC - Approved

A request for a Variance to the Daphne Land Use and Development Ordinance has been filed with the City of Daphne Board of Zoning Adjustment. The request, if granted, proposes to establish a parking agreement between adjacent properties to satisfy minimum parking requirements for a church at 26120 Equity Drive, which is zoned B-2, General Business.

By-laws Revision - Approved

6. ADJOURNMENT - 7:11 p.m.

CITY OF DAPHNE
BOARD OF ZONING ADJUSTMENT MINUTES
REGULAR MEETING OF JANUARY 4, 2024 - 6:00 P.M.
COUNCIL CHAMBERS, CITY HALL

Chairwoman called to order the regular meeting of the Board of Zoning Adjustment at 6:00 p.m. Roll was called and the number of members present constituted a quorum.

Members Present:

Clay Covert
Derek Wolstenholme
Audra Harper
Donald Burton, Jr.
Carolyn Courson, Chairwoman

Members Absent:

Tasha Quinnelly
Herb Cole

Staff Present:

Adrienne D. Jones, Director of Community Development
Pat Johnson, Recording Secretary
Shawn Alves, BZA Attorney

Chairwoman asked for input regarding the December 7, 2023 minutes presented by staff. There being none, minutes stand approved as submitted.

Chairwoman called for the next order of business: a request for a Special Exception as presented on the meeting agenda.

A presentation of the report packet was given and recommended by the Director regarding application #2024-01, AltaPointe Health seeking approval of a Special Exception to authorize AltaPointe Health to operate a school for approximately 150 students for the Baldwin County Board of Education on 22.39 acres at 7400 Roper Lane, which is zoned R-3, High Density Single Family Residential, along with all contiguous parcels. Her recommendation along with the Building Official and the City Engineer was favorable, although the Engineer cited areas to be rectified during the site plan process if approved.

Chairwoman called for questions from the Board. There were none. The Chairwoman opened the floor for the public hearing and called for those in support of the appeal.

Jarrett Crum, Chief Hospital Officer for AltaPointe spoke seeking approval to expand the existing 82-bed psychiatric facility with a 12-bed, in-patient child adolescent psychiatric center, as well as, a school to accommodate approximately 150 students in collaboration with the Baldwin County Board of Education. He cited the expansion would be separate from the existing 82-bed facility.

CITY OF DAPHNE
BOARD OF ZONING ADJUSTMENT MINUTES
REGULAR MEETING OF JANUARY 4, 2024 - 6:00 P.M.
COUNCIL CHAMBERS, CITY HALL

Since there are no local in-patient child adolescent treatment facilities many are forced to travel as far as Montgomery for treatment. Therefore, after being approached by many individuals in the community, AltaPointe is pursuing approval to provide care for these adolescents because bed availability is limited in this area.

Chairwoman called for questions from the Board.

The Board presented several questions: were other locations sought, why here; ages of the students; students' mode of transportation; vegetation; the number of employees, relative ratio of the acreage; determination of which student selection; security, fencing and buffer vegetation; the average length of stay; and, public health certification process.

Mr. Crum responded this site was preferred because of the existing staff such as psychiatric support services, janitorial, cafeteria and security already in place on this central location. Seeking another location would not be cost effective. In-patient treatment will be for ages 5 to 21, and school-age children will be from kindergarten to high school, which can be up to age 21. The 12-bed expansion will be for in-patient children admitted overnight therefore, care will be given around the clock to them. The school component will be children bused in from local Baldwin County Board of Education District schools, none driving, for a regular school schedule of 8:00 a.m. to 3:30 p.m. time frame. On site there will be a teacher and two behavioral aides per classroom, principals, a school nurse, coordinators, other school employees and security. A significant amount of vegetation exists.

The Board presented several questions regarding the difference between a previous 2008 request and tonight's request, and who would pay for the cost of the turn lane for this project; current facility acreage and what percentage of the 22.39 acreage is the expansion; and whether the landscaping vegetation will remain or be removed.

Mr. Alves stated 2008 was for a different use, which you can use to weigh in on tonight's request or you do not have to take it into consideration, rather focus on the merits of the information presented at this time whether it is pertinent to what is asked for like the location and the surroundings.

Mrs. Jones stated all costs associated with the development would be that of the developer.

Mr. Crum stated based on my discussion with the Architect the expansion is a little smaller than the existing building. It will be single story, but in conjunction with what is there.

**CITY OF DAPHNE
BOARD OF ZONING ADJUSTMENT MINUTES
REGULAR MEETING OF JANUARY 4, 2024 - 6:00 P.M.
COUNCIL CHAMBERS, CITY HALL**

The gym may be slightly taller, but architecturally consistent. I am not 100 percent certain of that though about the landscaping vegetation, some of it may have to be moved.

Jonathan McGehee, S.E. Civil, stated there will be a vegetative buffer along the boundary line and anything that is removed will have to be replaced with something likewise or greater.

The Board presented several more questions concerning the following: will the school have sporting teams and athletic events; will all students be Baldwin County residents; what is the fencing and vegetation layout for neighbors' safety; will this be a locked down facility and who will determine which students are admitted; average length of stay; total completion length; and class size.

Mr. Crum confirmed there would be no sporting team events, but we will have outdoor recess time with playground space for the children to be able to run, stretch their legs and burn off some of their energy between classes similar to regular school. The goal of our school will be to help children with mental illness stabilize their mental or behavioral issues so they can return to regular school and resume their day-to-day activities. These children are identified by the school system as exhibiting behavior issues associated with a psychiatric illness who is distracting others who are actually learning which causes them to struggle and compound their issues. Our goal is to help students regain stabilization and functionality so they can receive an education after treatment to the point that they can be successful, which is what we do at our facility in Mobile, but all 150 of these students will be Baldwin County residents.

The area behind the gym will have a steady wood line buffer along with the existing 8-foot fence, and yes there have been a few incidents, but we will make sure that there are not any openings in the fencing. Our goal is to treat the children's mental health illnesses and integrate them back into the school system, and they should not be deemed a threat because they are living in our communities already. We are mindful of safety and providing a safe setting for all of the neighbors. Yes, we will be a mag locked door, visual camera monitored secured facility, with a security department. The evaluation process to determine if a child meets the criteria to enter their program will be modeled after the processed used in Mobile by the school and the Department of Mental Health. The students are stabilized and released. The average length of stay depends on the severity of their mental illness. Our date of completion may be anywhere from 1 to 2 years because we have to obtain a memo of understanding with the BOE, public health certifications, contracts, hiring and training of staff, BOE teachers and principals by us, but BOE will pay them.

CITY OF DAPHNE
BOARD OF ZONING ADJUSTMENT MINUTES
REGULAR MEETING OF JANUARY 4, 2024 - 6:00 P.M.
COUNCIL CHAMBERS, CITY HALL

Classes are similar to regular school with the same curriculum with class sizes of 12 to 15 students all with controlled access.

The Board presented several more questions regarding the number of students currently served in Mobile; justification for the number of students and current placement.

Mr. Crum stated we are treating about 75 students in Mobile. We requested 150 to expand for potential future long-term growth after collaboration with BOE, and there is a small school currently in Fairhope off U.S. Highway 98.

Mrs. Jones about the certificate of need process and security measures to protect the youth.

Mr. Crum stated it is when we present our need before the Schick they as a board determine whether a number of beds is a valid need for approval by the Governor who solidifies it with certification for a total number of beds added for the entire state. We made application for 12 beds barring no objections on January 17th we move to the next step. Additionally, he explained the security measures to keep youth safe.

The final question from the Board was regarding the use of stun guns and electrically charged security fencing.

Mr. Crum stated State regulations do not allow electric fencing or stun guns. We use holding techniques, medications and seclusion rooms if a patient has an episode because we want them to be safe.

The Chairwoman called for those in opposition, followed by rebuttal.

Bob Brunson, 117 Willowbrook Circle, expressed opposition about property values decreasing, safety of his mother, personal harassment by law enforcement when a patient wanders off.

Sid Odom, 7275 Pinehill Road expressed opposition about issues with patients wandering through yards, emergency response noise 24/7, and traffic on his brother's behalf.

Twanna Odom, 7227 Pinehill Road expressed opposition about emergency response noise, traffic and safety concerns for the elderly, patients being imported from Mobile several times a week by van with a heavy Mobile County Sheriff presence, and who would pay for street improvements and infrastructure.

Roy Sawyer, 105 Buena Vista, expressed safety concerns about pat noise, and patients walking through his yard, but understood the need for the facility.

CITY OF DAPHNE
BOARD OF ZONING ADJUSTMENT MINUTES
REGULAR MEETING OF JANUARY 4, 2024 - 6:00 P.M.
COUNCIL CHAMBERS, CITY HALL

Matt McDonald, expressed opposition concerns about speeding traffic and noise.

Josephine Jackson, 28201 8th Avenue, expressed opposition about heavy traffic, a secure facility and she asked for consideration for the longtime residents by making the fence tall enough to keep patients in.

The Chairwoman closed the floor to the public hearing and offered the opportunity for rebuttal.

Mr. Crum stated I have heard your concerns and assure you we will address the fencing and buffer to help with security. Heavy traffic is an existing problem everywhere because of growth in the area. Also, some of these type patients are in our communities already, which might be more of a danger than them being in treatment getting help. There is a great need for the type of help we provide.

Mr. Covert questioned the use of electrically charged devices and electronic fencing and expressed concern regarding the existing security measures in place and the existing impact on the neighborhood.

The Chairwoman called for discussion from the Board.

The Board discussed adding a contingency about the fencing height. Hearing no further comments from the Board, the Chairwoman called for an affirmatively stated motion.

A Motion was made by Mr. Wolstenholme and Seconded by Mrs. Harper to approve Appeal #2024-01, AltaPointe Health, request for a Special Exception to authorize AltaPointe Health to operate a school for approximately 150 students for the Baldwin County Board of Education on 22.39 acres at 7400 Roper Lane contingent upon installing a 10 foot tall fence around the entire perimeter of the property

Upon roll call vote, the Motion failed due to lack of a supermajority vote.

Mr. Covert	Nay
Mr. Wolstenholme	Aye
Mrs. Harper	Aye
Mr. Burton	Nay
Mrs. Courson	Aye

The Chairwoman stated the motion failed. You may go by the office of Community Development around 9:00 a.m. in the morning to pick up your paperwork.

There being no other business Chairwoman called for a **Motion to Adjourn**.

A **Motion** was made by **Mr. Wolstenholme** and **Seconded** by **Mrs. Harper** to adjourn. There was no discussion of the motion.

The Motion carried unanimously.


The meeting adjourned at 7:38 p.m.

Respectfully submitted by:



Pat Johnson, Recording Secretary

APPROVED: February 1, 2024



Carolyn Courson, Chairwoman

Accepted by:

Chairman, Daphne Utilities



**DAPHNE
UTILITIES**

WATER • NATURAL GAS • SEWER

APPROVED MINUTES

Utilities Board Meeting

Council Chambers, Daphne City Hall • November 29, 2023 • 5:00 p.m.

I. Call to Order

The regular November 2023 Board meeting for the Utilities Board of the City of Daphne was held on November 29, 2023 in the Council Chambers at Daphne City Hall and called to order at 5:00 p.m. by Chairwoman Selena Vaughn, followed by the Roll Call:

11. Roll Call

Members Present: Selena Vaughn, Chairwoman
Tim Patton, Vice Chairman
Billy Mayhand, Secretary/Treasurer
Mayor Robin LeJeune, Board Member

Members Absent: Councilman Joel Coleman, Board Member

Others Present: Jerry Speegle - Board Attorney
Scott Polk - General Manager
Bobby PuNis - Operations Manager
Alex Godfrey - Administrative Services Manager
Lori Wilson - Executive Assistant

Others Absent: Lexus Carlee - Finance Manager
Samantha Coppins - Communications Manager

III. Pledge of Allegiance

The Chairwoman led the Board and meeting attendees in the Pledge of Allegiance.

IV. Approval of Minutes

Utilities Board Meeting Minutes October 25, 2023

The Chairwoman requested any additions, corrections, or deletions for the submitted minutes of the October 25, 2023, Daphne Utilities Board meeting.

Vice Chairman Tim Patton requested one correction and with no further additions, corrections or deletions for the submitted minutes of the October 25, 2023 Daphne Utilities Board meeting, the Chairwoman called for a Motion to Accept the Minutes of October 25, 2023 with the requested change.

MOTION by Secretary/Treasurer Billy Mayhand to Accept the Minutes of October 25, 2023 with the requested change; Seconded by Vice Chairman Tim Patton.

AYE: LeJeune, Mayhand, Patton **NAY:** **ABSENT:** Coleman **ABSTAIN:** Vaughn

MOTION CARRIED

V. OLDBUSINESS -

A. None

VI. NEW BUSINESS -

A. None

Chairwoman Vaughn advised that a special-called meeting may be necessary in December for bid procedure on a project that is not quite ready at this meeting but should not wait for the January 2024 meeting. Mr. Scott Polk explained the projects -refurbishment of the Trojan elevated tank and removal of the Malbis water tower as well as the Sixth Street water tower. He further clarified that the issue is that if this bid waits until the next scheduled board meeting, the contractor would not have enough time to complete the refurbishment during the colder months in lieu of warmer months which would not be advisable.

Vice Chairman Tim Patton questioned if the general manager could be authorized to award the project and ratify it in January provided that the bids are in line with the scope of work. Mr. Speegle stated that the bid would need to be approved when received. Chairwoman Vaughn added that it would be a very quick meeting to address this issue. Mr. Speegle also clarified that there is a blanket authorization for the general manager on certain contract amounts but assumed this bid would exceed that amount.

VII. BOARD ATTORNEY'S REPORT

Mr. Jerry Speegle had no formal report but was available for questions.

VIII. FINANCIAL REPORT

General Manager Scott Polk filled in for Finance Manager Lexus Carlee and addressed the finances for the Board members pointing out: the gas revenue was down due to the price of gas; the Utilities' upgraded bond ratings by Standard and Poors on both bonds by one point each which indicated a strong future financial footing; salaries were on pace for the year even with several people missing due to large payouts and buyouts in terms of accrued vacation; fixed equipment expense was over budget due to failure of Well #8 during the summer and a rental had to be utilized which those costs were just received; main and service installation was higher than expected due to pipe for several projects which nearing completion; the positive outcome of the interest earned on accounts by moving everything to the money market account. He then reviewed some of the checks on the Check History Report.

IX. GENERAL MANAGER'S REPORT

A. GM Report

General Manager Scott Polk updated the Board members on: Village Drive water main replacement project; paperwork received for the GOMESA US90 force main stabilization project; concerns with the geologist's abilities for obtaining ADEM approval on the Well #15, formerly #2, project; and the progress of the grit removal system upgrade project. Mr. Polk then apprised the Board of some areas of note, in particular: that the Daphne Utilities' website had been hijacked on November 12th and had since been upgraded which also resulting a review of the policy and procedures; and the significant water quality disruption in Olde Town Daphne area. Mr. Bobby Purvis answered questions from board members regarding this situation.

Mr. Polk thanked the Board members for their support of the Daphne Utilities' grants for education.

B. Operations Report

Mr. Bobby Purvis informed the Board regarding: Bayfront meters being delivered; Lavendar Lane completion; Daphmont gas relocation completion; Bayfront bathroom issues that developed; solutions for shortage of certified operators at WRF; the temporary easement that was signed and delivered to the City; and lastly the recent promotion of Jarred Stanton, Grade III Operator at the WRF, to Lead Operator.

Vice Chairman Patton asked about requisitions mentioned under the Wastewater Collections System report, to which Bobby Purvis answered.

C. Engineering & Consulting Reports -

X. BOARD ACTION - previously addressed.

XI. PUBLIC PARTICIPATION

Chairwoman Vaughn announced there was no public for Public Participation at 5:22 pm.

XII. BOARD COMMENTS –


Mr. Billy Mayhand had no comment; Mayor Robin LeJeune reminded everyone of the tree lighting Friday night and the train run to Daphne Utilities to see the Christmas lights there and wished everyone a merry Christmas; Mr. Tim Patton was thankful for the organization chart and thanked all for a great year and wished all a merry Christmas.

XIII. ADJOURNMENT

With no additional comments, the Chairwoman Vaughn adjourned the meeting.

The meeting adjourned at 5:23pm.

Precedin minutes submitted to the Daphne Utilities Board by:



Lori Wilson, Executive Assistant, Daphne Utilities

**CITY OF DAPHNE, ALABAMA
RESOLUTION 2024-05**

2024-B-CONCRETE MATERIAL - NEGOTIATED

WHEREAS, The City of Daphne is required under section 41-16-20 of the Code of Alabama to secure competitive bids for items in excess of \$30,000; and

WHEREAS, The City of Daphne acknowledges that the cost for the CONCRETE MATERIAL will exceed this amount; and

WHEREAS, No bids were received and therefore can be negotiated; and

WHEREAS, Staff has reviewed the negotiated bid for the CONCRETE MATERIAL and determined that the bid as presented is reasonable; and

WHEREAS, Staff recommends the negotiated bid for the CONCRETE MATERIAL be awarded to Ready Mix USA.

NOW, THEREFORE BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF DAPHNE, ALABAMA, that the City hereby accept the bid of Ready Mix USA for unit cost as follows:

Materials	Unit	2024 Negotiated Contract Ready Mix USA Cost Per CY
Type 1 - Mix "A". Minimum PSI strength at 28 days 3,000 Lbs. concrete.		Comments: + \$200/small load fee
Short Load	0-5 CY	\$ 165.00
Regular Load	5-10 CY	\$ 165.00
Large Project (100+CY)	100-300 CY	\$ 165.00
Large Project (300+CY)	300-500 CY	\$ 165.00
Large Project (500+CY)	500+ CY	\$ 165.00
Pervious 4,000 PSI Mix – Minimum PSI strength at 28 days 4,000 Lbs.		Comments: + \$200/small load fee
Short Load	0-5 CY	\$ 171.00
Regular Load	5-10 CY	\$ 171.00
Large Project (100+CY)	100-300 CY	\$ 171.00
Large Project (300+CY)	300-500 CY	\$ 171.00
Large Project (500+CY)	500+ CY	\$ 171.00
*Fuel Surcharge - \$ 30/load		
ADDITIONAL OPTIONS:		
Surcharge per cubic yard to add Fiber Reinforcement to any of the above referenced mixes	CY	No Bid

Delivery is included in CY cost bid / Bid Costs are good through 3/31/2025

as specified in the Negotiated BID SPECIFICATION NO. 2024-B-CONCRETE MATERIAL.

**APPROVED AND ADOPTED BY THE CITY COUNCIL OF THE CITY OF DAPHNE,
ALABAMA, THIS _____ day of _____, 2024.**

Robin LeJeune, Mayor

ATTEST:

Candace G. Antinarella, City Clerk

**CITY OF DAPHNE, ALABAMA
RESOLUTION 2024-06**

APPROPRIATION FOR ADDITIONAL CYBER INSURANCE COVERAGE

WHEREAS, Ordinance 2023-35 approved and adopted the Fiscal Year 2024 Budget on September 18, 2023; and

WHEREAS, subsequent to the adoption of the Fiscal Year 2024 budget, the City Council has determined that certain appropriations are required and should be approved and made a part of the Fiscal Year 2024 budget; and

WHEREAS, the City has determined that additional cyber insurance coverage is needed and a quote has been obtained from CFC for a more robust cyber policy than the one provided by AMIC; and

WHEREAS, this additional coverage exceeds the amount budgeted in the FY 2024 budget for City insurance by approximately \$15,000.

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF DAPHNE, ALABAMA, that

- 1) Funds in the amount \$15,000 from the **General Fund** are hereby appropriated and made part of the Fiscal Year 2024 Budget for purchase of additional cyber insurance coverage.
- 2) The Mayor is hereby authorized and directed to do or perform or cause to be done or performed in the name of and behalf of the City such other acts, and to execute, deliver, file and record such other instruments, documents, certificates, notifications and related documents, all as shall be required by law or necessary or desirable to carry out the provisions and purposes of this resolution.

APPROVED AND ADOPTED BY THE CITY COUNCIL OF THE CITY OF DAPHNE, ALABAMA, THIS _____ DAY OF _____, 2024.

ATTEST:

Robin Le Jeune, Mayor

Candace G. Antinarella, MMC, City Clerk



CITY OF DAPHNE

FLOODPLAIN DEVELOPMENT ORDINANCE

{ADOPTION DATE}

Prepared by:

Josh Newman, PE, CFM

City Engineer

TABLE OF CONTENTS

	<u>PAGE</u>
ARTICLE 1	STATUTORY AUTHORIZATION, FINDINGS OF FACT, PURPOSE & OBJECTIVES3
	<u>SECTION A</u> : FINDINGS OF FACT.....3
	<u>SECTION B</u> : STATEMENT OF PURPOSE.....4
	<u>SECTION C</u> : OBJECTIVES.....4
ARTICLE 2	GENERAL PROVISIONS5
	<u>SECTION A</u> : LANDS TO WHICH THIS ORDINANCE APPLIES.....5
	<u>SECTION B</u> : BASIS FOR SPECIAL FLOOD HAZARD AREAS.....5
	<u>SECTION C</u> : ESTABLISHMENT OF FLOODPLAIN DEVELOPMENT PERMIT6
	<u>SECTION D</u> : COMPLIANCE6
	<u>SECTION E</u> : ABROGATION AND GREATER RESTRICTIONS.....6
	<u>SECTION F</u> : INTERPRETATION6
	<u>SECTION G</u> : WARNING AND DISCLAIMER OF LIABILITY6
	<u>SECTION H</u> : PENALTIES FOR VIOLATION6
	<u>SECTION I</u> : SAVINGS CLAUSE.....8
ARTICLE 3	ADMINISTRATION9
	<u>SECTION A</u> : DESIGNATION OF FLOODPLAIN ADMINISTRATOR9
	<u>SECTION B</u> : PERMIT PROCEDURES.....9
	<u>SECTION C</u> : DUTIES AND RESPONSIBILITIES OF THE FLOODPLAIN ADMINISTRATOR11
ARTICLE 4	PROVISIONS FOR FLOOD HAZARD REDUCTION.....15
	<u>SECTION A</u> : GENERAL STANDARDS15
	<u>SECTION B</u> : SPECIFIC TECHNICAL STANDARDS.....17
	<u>SECTION C</u> : FLOODWAYS22
	<u>SECTION D</u> : BUILDING STANDARDS FOR STREAMS WITHOUT ESTABLISHED BASE FLOOD ELEVATIONS.....23
	<u>SECTION E</u> : STANDARDS FOR AREAS OF SHALLOW FLOODING24
	<u>SECTION F</u> : STANDARDS FOR SUBDIVISIONS AND OTHER DEVELOPMENT24
	<u>SECTION G</u> : STANDARDS FOR SUBDIVISIONS AND OTHER DEVELOPMENT27
	<u>SECTION H</u> : CRITICAL FACILITIES.....28
ARTICLE 5	VARIANCE PROCEDURES29
	<u>SECTION A</u> : DESIGNATION OF VARIANCE AND APPEALS BOARD29
	<u>SECTION B</u> : DUTIES OF BOARD29
	<u>SECTION C</u> : CONDITIONS FOR VARIANCES.....29
	<u>SECTION D</u> : VARIANCE PROCEDURES30
	<u>SECTION E</u> : VARIANCES FOR HISTORIC STRUCTURES31
	<u>SECTION F</u> : VARIANCE NOTIFICATION AND RECORDS31
ARTICLE 6	DEFINITIONS.....32

ARTICLE 7	LEGAL STATUS PROVISIONS	45
	<u>SECTION A</u> : SEVERABILITY	45
	<u>SECTION B</u> : ENFORCABILITY OF ORDINANCE AND FUTURE REVISIONS.....	46
	<u>SECTION C</u> : EFFECTIVE DATE.....	46

**CITY OF DAPHNE, ALABAMA
ORDINANCE 2024-02**

**FLOODPLAIN DEVELOPMENT ORDINANCE
Repealing and Replacing Ordinance 2019-10**

ARTICLE 1

**STATUTORY AUTHORIZATION, FINDINGS OF FACT, PURPOSE, AND
OBJECTIVES**

WHEREAS, the National Flood Insurance Program (“NFIP”) is managed by the Federal Emergency Management Agency (“FEMA”); and

WHEREAS, communities are not required to participate in the program by any law or regulation, but instead participate voluntarily in order to obtain access to NFIP flood insurance; and

WHEREAS, communities that choose to participate in the NFIP are required to adopt and enforce a floodplain development ordinance with land use and control measures that include effective enforcement provisions to regulate development in the floodplain resulting in reduced future flood losses; and

WHEREAS, FEMA has set forth in federal regulations the minimum standards required for participation in the NFIP; however, these standards have the force of law only because they are adopted and enforced by a state or local government, referred to as a NFIP community; and

WHEREAS, legal enforcement of the floodplain management standards is the responsibility of the participating NFIP community, which can elect to adopt higher standards as a means of mitigating flood risk; and

WHEREAS, the City of Daphne, Alabama (the “City”) desires to adopt and enforce this Ordinance, which meets or exceeds the minimum standards of the Code of Federal Regulations Title 44 §60.3 in order to participate in the NFIP and have access to federal flood insurance and other federal assistance; and

WHEREAS, the Legislature of the State of Alabama has, in Title 11, Chapter 19, Sections 1-24; Chapter 45, Sections 1-11; Chapter 52, Sections 1-84; and Title 41, Chapter 9, Section 166 of the Code of Alabama (1975), authorized local government units to adopt regulations designed to promote the public health, safety, and general welfare of its citizenry.

NOW, THEREFORE, BE IT ORDAINED by the CITY COUNCIL of the CITY OF DAPHNE, ALABAMA, as follows:

SECTION A **FINDINGS OF FACT**

- (1) The flood hazard areas of the City (FEMA’s designated Special Flood Hazard Areas (“SFHAs”) or other areas designated by the City as flood-prone areas) are subject to periodic inundation which may result in loss of life and property, health and safety hazards, disruption of commerce and

governmental services, extraordinary public expenditures for flood relief and protection, and impairment of the tax base, all of which adversely affect public health, safety, and general welfare.

- (2) These flood losses are caused most often by development, as defined in this Ordinance, in areas designated as FEMA SFHAs or other areas designated by the City as vulnerable to flooding, including structures which are inadequately elevated or floodproofed (only non-residential structures) or are otherwise unprotected from flood damages, or by the cumulative effect of development in areas subject to flooding that cause increases in flood heights and velocities.

SECTION B **STATEMENT OF PURPOSE**

It is the purpose of this Ordinance to promote the public health, safety, and general welfare and to minimize public and private losses due to flood conditions in specific areas by provisions designed to:

- (1) Require that uses vulnerable to floods, including facilities which serve such uses, be protected against flood damage at the time of initial construction.
- (2) Restrict or prohibit uses which are dangerous to health, safety, and property due to water or erosion hazards, or which increase flood heights, velocities, or erosion.
- (3) Control development (including filling, grading, paving, dredging, and all other development as defined in this Ordinance).
- (4) Prevent or regulate the construction of flood barriers which will unnaturally divert flood waters, or which may increase flood hazards to other lands.
- (5) Control the alteration of natural floodplains, stream channels, and natural protective barriers which may influence the flow of water.

SECTION C **OBJECTIVES**

The objectives of this Ordinance are to:

- (1) Protect human life and health;
- (2) Minimize damage to public facilities and utilities such as water and gas mains, electric, telephone and sewer lines, streets and bridges located in floodplains;
- (3) Help maintain a stable tax base by providing for the sound use and development of flood-prone areas in such a manner as to minimize flood blight areas;
- (4) Minimize expenditure of public money for costly flood control projects;
- (5) Minimize the need for rescue and relief efforts associated with flooding and generally undertaken at the expense of the general public;
- (6) Minimize prolonged business interruptions; and

- (7) When asked for assistance regarding flood risk, ensure that potential home buyers are aware that a property is in an area subject to flooding.

ARTICLE 2

GENERAL PROVISIONS

SECTION A LANDS TO WHICH THIS ORDINANCE APPLIES

This Ordinance shall apply to all FEMA SFHAs and any additional areas designated by the City as floodplains or areas subject to flooding within the jurisdiction of the City.

SECTION B BASIS FOR SPECIAL FLOOD HAZARD AREAS

The SFHAs identified by FEMA in Baldwin County's Flood Insurance Study ("FIS"), dated April 19, 2019, with accompanying Flood Insurance Rate Maps ("FIRMs") and other supporting data, as may be revised or amended from time to time, are hereby adopted by reference and incorporated herein. For those lands hereafter acquired by the City through annexation, the current effective FIS and data for Baldwin County are hereby adopted by reference and incorporated herein. Community Flood Hazard Areas may also be regulated as SFHAs. FEMA encourages communities to adopt areas prone to flooding to be added to the FIRMs. They may include those areas known to have flooded historically or that have been defined through standard engineering analysis by a professional engineer, licensed to practice in the State of Alabama; or by governmental agencies or private organizations that are not yet incorporated into the FIS or otherwise designated by the City.

When Preliminary Flood Insurance Studies and Flood Insurance Rate Maps have been provided by FEMA to the City:

- (1) Prior to the issuance of a Letter of Final Determination by FEMA, the use of the preliminary flood hazard data shall only be required where no BFEs and/or floodway areas exist or where the preliminary BFEs or floodway area exceed the BFEs and/or floodway widths in the effective flood hazard data provided by FEMA. Such preliminary data may be subject to revision through valid appeals.
- (2) Upon the issuance of a Letter of Final Determination ("LFD") by FEMA, the revised flood hazard data shall be used and replace all previously effective flood hazard data provided by FEMA for the purposes of administering these regulations.

Where adopted regulatory standards conflict, the more stringent BFE shall prevail. Preliminary FIS data may be subject to change by a valid appeal.

SECTION C: ESTABLISHMENT OF A FLOODPLAIN DEVELOPMENT PERMIT

A Development Permit shall be required in conformance with the provisions of this Ordinance *prior to* the commencement of any development, as defined in this Ordinance, in identified SFHAs and any additional identified Community Flood Hazard Areas within the City.

SECTION D. COMPLIANCE

No structure or land shall hereafter be located, extended, converted or altered without full compliance with the terms of this Ordinance and other applicable regulations.

SECTION E. ABROGATION AND GREATER RESTRICTIONS

This Ordinance is not intended to repeal, abrogate, or impair any existing ordinance, easements, covenants, or deed restrictions. However, where this Ordinance and another conflict or overlap, whichever imposes the more stringent restrictions shall prevail.

SECTION F. INTERPRETATION

In the interpretation and application of this Ordinance all provisions shall be: (1) considered as minimum requirements, (2) liberally construed in favor of the City, and (3) deemed neither to limit nor repeal any other powers granted under State statutes.

SECTION G. WARNING AND DISCLAIMER OF LIABILITY

The degree of flood protection required by this Ordinance is considered reasonable for regulatory purposes and is based on scientific and engineering considerations. Larger floods can and will occur; flood heights may be increased by man-made or natural causes. This Ordinance does not imply that land outside the SFHAs or other identified areas subject to flooding or uses permitted within such areas will be free from flooding or flood damages. This Ordinance shall not create liability on the part of the City or by any officer or employee thereof for any flood damages that result from reliance on this Ordinance or any administrative decision lawfully made thereunder.

SECTION H. PENALTIES FOR VIOLATION

Violation of the provisions of this Ordinance or failure to comply with any of its requirements, including violation of conditions and safeguards established in connection with grants of variance or special exceptions shall constitute a misdemeanor. The Code of Alabama (1975), Title 11, Chapters 19 and 45 grant local governments in Alabama the authority to administer the enforcement provisions stated within this section of the Ordinance.

- (1) Stop Work Order. The City may issue a stop work order, which shall be served on the applicant or other responsible person.
 - (a) Upon notice from the Floodplain Administrator, work on any building, structure or premises that is being performed contrary to the provisions of this Ordinance shall immediately cease.
 - (b) Such notice shall be in writing and shall be given to the owner of the property, or to his or her agent, or to the person doing the work, and shall state the conditions under which work may be resumed.

The stop work order shall remain in effect until the applicant or other responsible person has taken the remedial measures set forth in the notice of violation or has otherwise cured the violation or violations described therein. The stop work order must include a provision that it may be withdrawn or modified to enable the applicant or other responsible person to take the necessary remedial measures to cure such violation or violations.

- (2) Notice of Violation. If the City determines that an applicant or other responsible party for the development has failed to comply with the terms and conditions of a permit, or otherwise not in accordance with the provisions of this Ordinance, it shall issue a written Notice of Violation, by certified return receipt mail, to such applicant or other responsible person. Where the person is engaged in activity covered by this Ordinance without having first secured a permit, the notice shall be served on the owner or the party in charge of the activity being conducted on the site. Therefore, any work undertaken prior to submission and approval of an official permit by the City or otherwise not in accordance with this Ordinance shall constitute a violation of this Ordinance and be at the permit holder's risk. The notice of violation shall contain:
- (a) The name and address of the owner or the applicant or the responsible party;
 - (b) The address or other description of the site upon which the violation is occurring;
 - (c) A statement specifying the nature of the violation (including failure to obtain a permit);
 - (d) A description of the remedial measures necessary to bring the action or inaction into compliance with the permit or this Ordinance and the date for the completion of such remedial action;
 - (e) A statement of the penalty or penalties that may be assessed against the person to whom the notice of violation is directed; and
 - (f) A statement in the Notice of Violation shall be included that the determination of violation may be appealed to the City by filing a written Notice of Appeal within ten (10) working days after the Notice of Violation. Exceptions for the deadline for this Notice include: 1) in the event the violation constitutes a danger to public health or public safety, then a 24-hour notice shall be given; 2) if there's an imminent or immediate threat to life or property, then immediate action is required.
- (3) Civil penalties. Any person who violates this Ordinance or fails to comply with any of its requirements shall, upon conviction thereof, be fined not more than \$500.00 or imprisoned for not more than thirty (30) days, or both, and in addition, shall pay all costs and expenses involved in the case: Each day such violation continues following receipt of the Notice of Violation shall be considered a separate offense. Nothing contained herein shall prevent the City from taking such other lawful actions as is necessary to prevent or remedy any violation.
- (4) Administrative appeal; judicial review. Any person receiving a Notice of Violation may appeal the determination of the City, including but not limited to the issuance of a stop work order, the assessment of an administratively-imposed monetary penalty, the suspension, revocation, modification, or grant with condition of a permit by the City upon finding that the holder is in violation of permit conditions, or that the holder is in violation of any applicable ordinance or any of the City's rules and regulations, or the issuance of a notice of bond forfeiture.

The Notice of Appeal must be in writing to the Floodplain Administrator and must be received within ten (10) days from the date of the Notice of Violation. A hearing on the appeal shall take place within thirty (30) days from the date of receipt of the Notice of Appeal.

- (5) All appeals shall be heard and decided by the City's designated appeals board, which shall be the Daphne Board of Zoning Adjustments, or its designees. The appeals board shall have the power to affirm, modify, or reject the original penalty, including the right to increase or decrease the amount of any monetary penalty and the right to add or delete remedial actions required for correction of the violation and compliance with the City's floodplain development ordinance, and

any other applicable local, state, or federal requirements. Appeals cannot be in opposition to the provisions of this Ordinance. The decision of the Daphne Board of Zoning Adjustments shall be final.

- (6) A judicial review can be requested by any person aggrieved by a decision or order of the City, after exhausting his/her administrative remedies. They shall have the right to appeal *de novo* to the Baldwin County Circuit Court.

SECTION I. SAVINGS CLAUSE

If any section, subsection, sentence, clause, phrase, or word of this Ordinance is for any reason held to be noncompliant with 44 Code of Federal Regulation 59-78, as it may be amended from time to time, such decision shall not affect the validity of the remaining portions of this Ordinance.

ARTICLE 3
ADMINISTRATION

SECTION A DESIGNATION OF FLOODPLAIN ADMINISTRATOR

The Floodplain Administrator is hereby appointed to administer and implement the provisions of this Ordinance. The City Engineer shall hereafter be referred to as the Floodplain Administrator in this Ordinance.

SECTION B PERMIT PROCEDURES

Application for a Floodplain Development Permit shall be made to the Floodplain Administrator on forms furnished by the City *prior to* any development (any man-made change to improved or unimproved real estate, including, but not limited to, buildings or other structures, mining, dredging, filling, grading, paving, excavation, drilling operations, or storage of equipment or materials) in the SFHAs of the City, and may include, but not be limited to, the following: plans in duplicate drawn to scale showing the elevations of the area of development and the nature, location, and dimensions of existing or proposed development.

Specifically, the following procedures and information are required for all projects in the SFHA or other designated floodplains within the jurisdiction of the City:

- (1) Application Stage. Plot plans are to include:
 - (a) The BFEs where provided as set forth in Article 4, Sections B and C;
 - (b) Boundary of the Special Flood Hazard Area and floodway(s) as delineated on the FIRM or other flood map as determined in Article 2, Section B;
 - (c) Flood zone designation of the proposed development area as determined on the FIRM or other flood map as set forth in Article 2, Section B;
 - (d) Elevation in relation to mean sea level (or highest adjacent grade) of the regulatory lowest floor elevation, including basement, of all proposed structures;
 - (e) Within Zones V1-30, VE, and V obtain the elevation in relation to mean sea level of the bottom of the lowest structural member of the lowest floor, including basement, of all proposed structures;
 - (f) Elevation in relation to mean sea level to which any non-residential structure will be flood-proofed;
 - (g) Design certification from a professional engineer, who is licensed to practice in the State of Alabama, or a licensed architect, who is registered to practice in the State of Alabama, that any proposed non-residential flood-proofed structure will meet the flood-proofing criteria of Article 4, Sections B(2) and E(2);
 - (h) A Foundation Plan, drawn to scale, that shall include details of the proposed foundation system to ensure all provisions of this Ordinance are met. These details include, but are not limited to, the proposed method of elevation (i.e., fill, solid foundation perimeter wall, solid backfilled foundation, open foundation on columns/posts/piers/piles/shear walls) and description of any flood openings required in accordance with Article 4, Sections B(1) and B(3) when solid foundation perimeter walls are used.
 - (i) Usage details of any enclosed areas below the lowest floor shall be described.

- (j) Plans and/or details for the protection of public utilities and facilities such as sewer, gas, electrical, and water systems to be located and constructed to minimize flood damage.
 - (k) Description of the extent to which any watercourse will be altered or relocated as a result of a proposed development including current and proposed locations of the watercourse. An engineering report shall be prepared by a professional engineer, who is licensed to practice in the State of Alabama, on the effects of the proposed project on the flood-carrying capacity of the watercourse and the effects to properties located both upstream and downstream. The affected properties shall be depicted on a map or on the plot plan.
 - (l) Certification of the plot plan by a professional engineer or surveyor, who is licensed to practice in the State of Alabama, is required.
- (2) Construction Stage. For all new construction and substantial improvements, the permit holder shall provide to the Floodplain Administrator an as-built certification of the regulatory floor elevation or flood-proofing level, using an appropriate FEMA elevation or floodproofing certificate, immediately after the lowest floor or flood-proofing is completed. In addition:
- (a) When flood-proofing is utilized for non-residential structures, said certification shall be prepared by professional engineer, who is licensed to practice in the State of Alabama, or architect, who is registered to practice in the State of Alabama.
 - (b) Any work undertaken prior to submission of these certifications shall be at the permit holder's risk.
 - (c) The Floodplain Administrator shall review the above referenced certification data submitted. Deficiencies detected by such review shall be corrected by the permit holder immediately and prior to further work being allowed. Failure to submit certification or failure to make the required corrections shall be cause to issue a Notice of Violation and/or Stop-Work Order for the project.
 - (d) The Floodplain Administrator shall make periodic inspections of projects during construction throughout the SFHAs within the jurisdiction of the City to ensure that the work is being done according to the provisions of this Ordinance and the terms of the permit. Members of the inspections/engineering department shall have a right, upon presentation of proper credentials, to enter on any premises within the territorial jurisdiction of the City during normal business hours of the City for the purposes of inspection or other enforcement action.
 - (e) The Floodplain Administrator may revoke and require the return of the floodplain development permit by notifying the permit holder in writing stating the reason(s) for the revocation. Permits shall be revoked for any departure from the approved application, plans, and specifications; for refusal or failure to comply with the requirements of State or local laws; or for false statements or misrepresentations made in securing the permit. Any floodplain development permit mistakenly issued in violation of an applicable State or local law may also be revoked.
- (3) Finished Construction. Upon completion of construction, a FEMA elevation certificate (FEMA Form 81-31 or equivalent), which depicts all finished construction elevations, must be submitted to the Floodplain Administrator prior to issuance of a Certificate of Occupancy.
- (a) If the project includes a floodproofing measure, a FEMA floodproofing certificate must be submitted by the permit holder to the Floodplain Administrator.

- (b) The Floodplain Administrator shall review the certificate(s) and the data submitted. Deficiencies detected by such review shall be corrected by the permit holder immediately and prior to Certificate of Compliance/Occupancy issuance.
- (c) In some instances, another certification may be required to certify corrected as-built construction. Failure to submit the certification or failure to make required corrections shall be cause to withhold the issuance of a Certificate of Compliance/Occupancy.
- (d) Documentation regarding completion of and compliance with the requirements stated in the permit application and with Article 3, Section B(1) of this Ordinance shall be provided to the local Floodplain Administrator at the completion of construction or records shall be maintained throughout the Construction Stage by inspectors for the Floodplain Administrator. Failure to provide the required documentation shall be cause to withhold the issuance of a Certificate of Compliance/Occupancy.
- (e) All records that pertain to the administration of this Ordinance shall be maintained in perpetuity and made available for public inspection, recognizing that such information may be subject to the Privacy Act of 1974, as amended.

SECTION C DUTIES AND RESPONSIBILITIES OF THE FLOODPLAIN ADMINISTRATOR

The Floodplain Administrator and his/her designated staff is hereby authorized and directed to enforce the provisions of this Ordinance. The Floodplain Administrator is further authorized to render interpretations of this Ordinance which are consistent with its spirit and purpose. Duties of the Floodplain Administrator shall include, but shall not be limited to:

- (1) Require permits for all proposed construction or other development in the City, including the placement of manufactured homes, so that it may be determined whether such construction or other development is proposed within flood-prone areas. Ensure the public is aware that floodplain development permits are required for development in SFHAs.
- (2) Conduct regular inspections of the City's SFHAs for any unpermitted development and issue Stop Work Orders and Notice of Violations for any such development. Any unpermitted structure or non-structural development in the SFHA will be considered a violation until such time that the violation has been remedied.
- (3) Review proposed development to assure that all necessary permits have been received from those governmental agencies from which approval is required by Federal or State law, including section 404 of the Federal Water Pollution Control Act Amendments of 1972, 33 U.S.C. 1334. Maintain such permits permanently with floodplain development permit file.
- (4) Review all permit applications of proposed development, to determine whether the proposed construction or other development will be reasonably safe from flooding and to assure compliance with this Ordinance.
 - (a) If the provisions of this Ordinance have been met, approve the permit.
 - (b) If the provisions of this Ordinance have not been met, request that either corrections and accurate completion of the application be made or disapprove the permit.
- (5) When BFE data or floodway data have not been provided in accordance with Article 2, Section B then the Floodplain Administrator shall obtain, review and reasonably utilize any BFE and

floodway data available from a Federal, State, or other sources in order to administer the provisions of Article 4.

- (6) Verify and record that all new construction within Zones V1-30, VE, and V on the City's FIRM is located landward of the reach of mean high tide.
- (7) Verify and record the actual elevation of the lowest floor, in relation to mean sea level (or highest adjacent grade), including basement, of all new construction or substantially improved residential structures in accordance with Article 3, Section B(2).
 - (a) Review elevation certificates and require incomplete or incorrect certificates to be corrected and resubmitted for approval.
 - (b) A post-construction elevation certificate is required to be kept with the permit and certificate of occupancy in perpetuity; a pre-construction elevation certificate can be used to ensure the correct elevation for the lowest floor and machinery along with the correct number of vents that will be used.
- (8) Verify and record the actual elevation, in relation to mean sea level to which any new or substantially improved non-residential structures have been elevated or floodproofed, in accordance with Article 3, Section B, or Article 4, Sections B(2) and E(2).
- (9) Verify and record that all new construction and substantial improvements within Zones V1-30, VE, and V comply with all applicable provisions contained in Article 4, Section F that address location, foundations, fill, space below the lowest supporting structural member, enclosures, certifications, sand dunes, mangrove stands, manufactured homes, and recreational vehicles.
- (10) When floodproofing is utilized for a non-residential structure, the Floodplain Administrator shall obtain certification of design criteria from a professional engineer, licensed to practice in the State of Alabama, or licensed architect, registered to practice in the State of Alabama, in accordance with Article 3, Section B(1) and Article 4, Section B(2) or E(2).
- (11) Notify adjacent communities and the Alabama Department of Environmental Management and the appropriate district office of the U.S. Army Corps of Engineers prior to any alteration or relocation of a watercourse. Submit evidence of such notification to FEMA and the NFIP State Coordinator's Office (Alabama Department of Economic and Community Affairs, Office of Water Resources).
- (12) For any altered or relocated watercourse, submit engineering data/analysis within six (6) months after completion of the project to FEMA and State to ensure accuracy of community flood maps through the Letter of Map Revision process. Assure flood carrying capacity of any altered or relocated watercourse is maintained following completion of the project.
- (13) Where interpretation is needed as to the exact location of boundaries of the SFHA (for example, where there appears to be a conflict between a mapped boundary and actual field conditions), the Floodplain Administrator shall make the necessary interpretation. Any person contesting the location of the boundary shall be given a reasonable opportunity to appeal the interpretation as provided in this Ordinance.
- (14) All records pertaining to the provisions of this Ordinance shall be maintained, in perpetuity, at the office of the Floodplain Administrator and shall be available for public inspection when requested.

- (15) For any improvements made to existing construction located in the SFHA (as established in Article 2, Section B) ensure that a permit is obtained. Also, conduct Substantial Improvement (SI) (as defined in Article 6 of this Ordinance) reviews and analysis of all structural development permit applications. Maintain a record of the SI calculations and comments within the permit files in accordance with Section C(11) of this Article.
- (16) For any residential and nonresidential structures located in the SFHAs that are damaged from any source, natural hazard or man-made, conduct Substantial Damage (SD) (as defined in Article 6 of this Ordinance) assessments.
- (a) The Floodplain Administrator shall ensure that permits are obtained, in accordance with this Ordinance, prior to any repairs commencing.
 - (b) Make SD determinations whenever structures within the SFHA are damaged by any cause or origin. SD determinations shall not be waived to expedite the rebuilding process during a post-disaster recovery or for any other reason.
 - (c) If the City has a large number of buildings in their SFHAs that have been damaged, they should decide in advance how best to handle permitting and inspecting damaged buildings for substantial damage determinations.
 - (d) If required, a moratorium may be placed on all non-disaster related construction permits until the City has sufficiently completed its SD determinations.
 - (e) The SD determinations should be performed immediately after the damage-causing event or other cause of damage.
 - (f) The City shall utilize methods and tools for collecting building data and performing analyses that will provide reasonable and defensible SD determinations. Those tools shall be capable of generating reports for record-keeping purposes and to provide to the applicable property owners if requested.
 - (g) Maintain a record of the SD calculations within permit files in accordance with Section C(11) of this Article.
 - (h) If the SD determination finds that the extent that the cost of restoring the structure to its before damaged condition would equal or exceed fifty percent (50%) of the market value of the structure before the damage occurred, the Floodplain Administrator shall:
 - i. Coordinate with the property owner and issue a letter to convey the SD determination.
 - ii. Determine if the damage was caused by flooding and include the cause in the letter to the property owner. Also, include whether or not the structure qualifies as a repetitive loss structure per the definitions in Article 6 of this Ordinance. The information can be used to determine if the claim is eligible for an Increased Cost of Compliance claim.
 - iii. Coordinate with property owners and insurance companies for any NFIP claims.
 - iv. If the repairs are to proceed, coordinate with the permit applicant to ensure a permit is obtained and inspections are conducted to ensure that all applicable provisions of this Ordinance are adhered to without exception or waiver.
 - (i) Ensure that phased improvements and incremental repairs do not circumvent the SI/SD requirements.
 - (j) Ensure that any combinations of elective improvements being made in addition to the necessary repairs to damages are included in making the SI/SD determination.
 - (k) An applicant for a permit may appeal a decision, order, or determination that was made by the local official for the following:

- i. The local official's finding or determination that the proposed work constituting a SI/SD were based on insufficient information, errors, or repair/improvement costs that should be included and/or excluded;
 - ii. The local official's finding or determination that the proposed work constituting a SI/SD were based on inappropriate valuations of costs for the proposed work, or an inappropriate method to determine the market value of the building.
 - (l) It is not appropriate for a permit applicant to seek an appeal who wishes to build in a manner that is contrary to the regulations and codes included in this ordinance. In those cases, the applicant should seek a variance.
 - (m) Ensure that any building located in a floodway that constitutes a SI/SD has an engineering analysis performed in accordance with Article 4, Section C(2). If that analysis indicates any increase in the BFE, the local official must not allow the proposed work unless the structure is brought into full compliance with this Ordinance.
- (17) Coordinate with insurance adjusters prior to permitting any proposed work to bring any flood-damaged structure covered by a standard flood insurance policy into compliance to ensure eligibility for ICC funds.
- (18) Right of Entry
- (a) Whenever it becomes necessary to make an inspection to enforce any of the provisions of this Ordinance, the Floodplain Administrator may enter such building, structure or premises at all reasonable times (normal business hours for the City) to inspect the same or perform any duty imposed upon the Floodplain Administrator by this Ordinance.
 - (b) If such building or premises are occupied, the Floodplain Administrator shall first present proper credentials and request entry. If such building, structure, or premises are unoccupied, he/she shall first make a reasonable effort to locate the owner or other persons having charge or control of such building or premises prior to entry.
 - (c) If entry is refused or owner cannot be located, the Floodplain Administrator shall have recourse to every remedy provided by law to secure the right of entry of the building, structure, or premises.
 - (d) When the Floodplain Administrator shall have first obtained a proper inspection warrant or other remedy provided by law to secure entry, no owner or occupant or any other persons having charge, care or control of any building, structure, or premises shall fail or neglect, after proper request is made as herein provided, to promptly permit entry therein by the Floodplain Administrator for the purpose of inspection and examination pursuant to this Ordinance.

ARTICLE 4

PROVISIONS FOR FLOOD HAZARD REDUCTION

SECTION A GENERAL STANDARDS

In *all* SFHAs and flood-prone areas regulated by the City, the following provisions are required for all proposed development including new construction and substantial improvements:

- (1) Review proposed development to assure that all necessary permits have been received from those governmental agencies from which approval is required by Federal or State law, including but,

not limited to Section 404 of the Federal Water Pollution Control Act Amendments (1972, 33 U.S.C. 1334) and the Endangered Species Act (1973, 16 U.S.C. 1531-1544). Maintain such permits permanently with floodplain development permit file.

- (2) New construction and substantial improvements shall be designed (or modified) and adequately anchored to prevent flotation, collapse, or lateral movement of the structure resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy.
- (3) New construction and substantial improvements shall be constructed with materials resistant to flood damage below the BFE.
- (4) New construction and substantial improvements shall be constructed by methods and practices that minimize flood damages.
- (5) New construction and substantial improvements shall be constructed with electrical, heating, ventilation, plumbing, and air conditioning equipment and other service facilities that are designed and/or located so as to prevent water from entering or accumulating within the components during conditions of flooding.
- (6) Review subdivision proposals and other proposed development, including manufactured home parks or subdivisions, to determine whether such proposals will be reasonably safe from flooding. If a subdivision proposal or other proposed development is in a SFHA, any such proposals shall be reviewed to assure that:
 - (a) They are consistent with the need to minimize flood damage within the SFHA,
 - (b) All public utilities and facilities, such as sewer, gas, electrical and water systems are located and constructed to minimize or eliminate flood damage,
 - (c) All new and replacement water supply systems are to be designed to minimize or eliminate infiltration of flood waters into the systems,
 - (d) All new and replacement sanitary sewage systems are to be designed to minimize or eliminate infiltration of flood waters into the systems and discharges from the systems into flood waters,
 - (e) Onsite waste disposal systems are to be located to avoid impairment to them or contamination from them during flooding, and
 - (f) Adequate drainage provided to reduce exposure to flood hazards.
- (7) Manufactured homes shall be installed using methods and practices which minimize flood damage. They must be elevated and anchored to resist flotation, collapse, or lateral movement. Methods of anchoring may include, but are not to be limited to, use of over-the-top or frame ties to ground anchors. This requirement is in addition to applicable State and local requirements for resisting wind forces.
- (8) New and replacement water supply systems shall be designed to minimize or eliminate infiltration of flood waters into the systems.
- (9) New and replacement sanitary sewage systems shall be designed to minimize or eliminate infiltration of flood waters into the systems and discharges from the systems into flood waters.

- (10) On-site waste disposal systems shall be located and constructed to avoid impairment to them or contamination from them during flooding.
- (11) Any alteration, repair, reconstruction or improvement to new construction and substantial improvements which is not compliant with the provisions of this Ordinance, shall be undertaken only if the non-conformity is not furthered, extended or replaced.
- (12) Proposed new construction and substantial improvements that are partially located in a SFHA shall have the entire structure meet the standards of this Ordinance for new construction.
- (13) Where new construction and substantial improvements located in multiple SFHAs or in a SFHA with multiple BFEs, the entire structure shall meet the standards for the most hazardous SFHA and the highest BFE.

SECTION B SPECIFIC TECHNICAL STANDARDS

In ALL Special Flood Hazard Areas designated as A, AE, AH (with engineered or estimated BFE), the following provisions are required:

- (1) Residential and Non-Residential Structures - Where BFE data is available, new construction and substantial improvement of any structure or manufactured home shall have the lowest floor, including basement, elevated no lower than one (1) foot above the base flood elevation (also referred to as the design flood elevation). Should solid foundation perimeter walls be used to elevate a structure, openings sufficient to facilitate the unimpeded movements of flood waters shall be provided in accordance with standards of Article 4, Section B(3).
- (2) Non-Residential Structures - New construction and substantial improvement of any non-residential structure located in AE or AH zones, may be floodproofed (dry) in lieu of elevation. The structure, together with attendant utility and sanitary facilities, must be designed to be watertight to at least one (1) foot above the base flood elevation (herein after referred to as the design flood elevation), with walls substantially impermeable to the passage of water, and structural components having the capability of resisting hydrostatic and hydrodynamic loads and the effect of buoyancy.
 - (a) A professional engineer, who is licensed to practice in the State of Alabama, or licensed architect, who is registered to practice in the State of Alabama, shall develop and/or review structural design, specifications, and plans for the construction, and shall certify that the design and methods of construction are in accordance with the standards in ASCE-24 (for dry floodproofing) or other compatible standards of practice for meeting the provisions above, and shall provide such certification to the official as set forth above and in Article 3, Section C(6).
 - (b) A record of such certificates, which includes the specific elevation (in relation to mean sea level) to which such structures are floodproofed, shall be maintained with the official permitting records for the structure and kept in-perpetuity.
 - (c) Any non-residential functionally dependent structure (as defined in Article 6) that cannot meet the standards stated in Section B(2)(a) shall require a variance to be issued in accordance with Article 5, Section C(3) and D(1).

- (3) Enclosures for Elevated Buildings - All new construction and substantial improvements of existing structures (residential and non-residential) that include *any* fully enclosed area below the BFE, located below the lowest floor formed by the foundation and other exterior walls shall be designed so as to be an unfinished or flood resistant enclosure. The enclosure shall be designed to equalize hydrostatic flood forces on exterior walls by allowing for the automatic entry and exit of flood waters.
- (a) Designs for complying with this requirement must either be certified by a professional engineer, who is licensed to practice in the State of Alabama, or a licensed architect, registered to practice in the State of Alabama, or meet the following minimum criteria:
 - (i) Provide a minimum of two openings for each enclosed area having a total net area of not less than one square inch for every square foot of enclosed area subject to flooding (if a structure has more than one enclosed area below the BFE, each shall have openings on exterior walls);
 - (ii) Openings shall be in at least two walls of each enclosed area (includes areas separated by interior walls);
 - (iii) The bottom of all openings shall be no higher than one foot above grade;
 - (iv) Openings may be equipped with screens, louvers, valves and other coverings or devices provided that they permit the automatic entry and exit of floodwaters in both directions without impeding or blocking flow and shall be accounted for in determination of the net open area; and
 - (v) Openings meeting the requirements of (3)(a)(i) – (iv) that are installed in doors are permitted.
 - (b) So as not to violate the “Lowest Floor” criteria of this Ordinance, the unfinished or flood resistant enclosure shall only be used for parking of vehicles, limited storage, or access to the elevated area.
 - (c) The interior portion of such enclosed area shall not be partitioned or finished into separate rooms.
 - (d) All interior walls, ceilings and floors below the BFE shall be unfinished and/or constructed of flood damage-resistant materials. This practice is also referred to as “wet floodproofing”. The definitions for “flood damage-resistant materials” and “wet floodproofing” are included in Article 6.
 - (e) Mechanical, electrical, or plumbing devices shall be installed not less than one foot above the BFE. The interior portion of such enclosed area(s) shall be void of utilities except for essential lighting and power, as required, that are watertight or have otherwise been floodproofed.
- (4) Standards for Manufactured Homes and Recreational Vehicles Where Base Flood Elevation Data is Available.
- (a) Require that all manufactured homes placed or substantially improved:
 - (i) Outside of a manufactured home park or subdivision,
 - (ii) In a new or substantially improved manufactured home park or subdivision,
 - (iii) In an expansion to an existing manufactured home park or subdivision, or
 - (iv) In an existing manufactured home park or subdivision on which a manufactured home has incurred “substantial damage” as the result of a flood,be elevated on a permanent foundation such that the lowest floor of the manufactured home is elevated one foot or more above the BFE and be securely anchored to an adequately anchored foundation system to resist floatation, collapse, and lateral movement.

- (b) Require that all manufactured homes to be placed or substantially improved on sites in an existing manufactured home park or subdivision that are *not* subject to the provisions of Subsection (4)(a) be elevated so that either:
 - (i) The lowest floor of the manufactured home is one foot or more above the BFE; OR
 - (ii) The manufactured home chassis is supported by reinforced piers or other foundation elements of at least equivalent strength that are no less than thirty-six (36) inches in height above the highest adjacent grade and be securely anchored to an adequately anchored foundation system to resist floatation, collapse, and lateral movement.
 - (iii) Concrete block piers (and other foundation systems) are to be designed in accordance with the Code of Federal Regulations Title 24, Part 3285 and with the specifications in *FEMA P-85: Protecting Manufactured Homes from Floods and Other Hazards – A Multi-Hazard Foundation and Installation Guide*. The §3285.306 *Design procedures for concrete block piers* and FEMA P-85 (Table SP-1.1), specify that the maximum allowable pier height (measured from top of grade) for concrete piers to be five (5) feet.
 - (iv) The chassis and its supporting equipment are to be above the pier or other foundation. The areas below the chassis must be constructed with flood-resistant materials. All utilities and mechanical equipment must be elevated to a minimum of three (3) feet above the highest adjacent grade. Any utility and mechanical components that must be below the BFE must be made watertight to that same elevation to meet the standards in Article 4, Section A(5).
- (c) Require that all recreational vehicles placed on sites must either:
 - (i) Be on the site for fewer than one hundred eighty (180) consecutive days,
 - (ii) Be fully licensed and ready for highway use on its wheels or jacking system,
 - (iii) Be attached to the site only by quick disconnect type utilities and security devices, and have no permanently attached structures or additions; *or*
 - (iv) Must meet all the requirements for “New Construction”, including the anchoring and elevation requirements of Article 4, Section B, provisions (4)(a) and (4)(b).
- (5) Standards for Manufactured Homes Where No Base Flood Elevation Exists.
 - (a) Require that all manufactured homes to be placed within a Zone A area on the FIRM shall be installed using methods and practices which minimize flood damage.
 - (b) Manufactured homes must be elevated and anchored to resist flotation, collapse, or lateral movement. Methods of anchoring may include, but are not to be limited to, use of over-the-top or frame ties to ground anchors.
 - (c) The manufactured home chassis must be supported by reinforced piers or other foundation elements of at least equivalent strength such that the bottom of the chassis and its supporting equipment be no less than thirty-six (36) inches and up to a maximum sixty (60) inches (five (5) feet) above the highest adjacent grade and be securely anchored to an adequately anchored foundation system.
 - (d) The areas below the chassis must be constructed with flood-resistant materials. All utilities and mechanical equipment must be elevated to a minimum of three (3) feet above the highest adjacent grade. Any utility and mechanical components that must be below the BFE must be made watertight to that same elevation to meet the standards in Article 4, Section A(5).
- (6) Require, until a regulatory floodway is designated, that no new construction, substantial improvements, or other development (including fill) shall be permitted within Zones A and AE

on the City's FIRM, unless it is demonstrated that the cumulative effect of the proposed development, when combined with all other existing and anticipated development, will not increase the water surface elevation of the base flood more than one (1) foot at any point within the City.

- (7) Accessory and Agricultural Structures – When an accessory structure meets the requirements outlined below, these structures may be wet-floodproofed and do not have to be elevated to one foot above the BFE as required in Article 4, Section B(1).

A permit shall be required prior to construction or installation of any accessory structures and any agricultural structures built below the DFE and the following provisions apply:

- (a) Must be adequately anchored to prevent flotation, collapse, or lateral movement;
- (b) Must be designed with an unfinished interior and constructed with flood damage-resistant materials below the DFE as described in Article 4, Section B(3);
- (c) Must have adequate flood openings as described in Article 4, Section B(3);
- (d) Must be constructed and placed on the building site so as to offer the minimum resistance to the flow of floodwaters;
- (e) Must comply with the requirements for development in floodways in accordance with Article 4, Section C;
- (f) Must elevate any mechanical and other utility equipment in or servicing the structure to or above the DFE or must be floodproofed in accordance with Article 4, Section A;
- (g) Prohibit storage of any hazardous or toxic materials below the DFE.
- (h) Permits for small accessory structures may be issued to provide wet floodproofing measures in accordance with the standards described in subsections (i) through (iv) below without requiring a variance. Before issuing permits for small accessory structures, the Floodplain Administrator must verify:
 - (i) Use is limited to parking of vehicles or storage;
 - (ii) Size is less than or equal to a one-story, two-car garage for all A zones;
 - (iii) Structures are a minimal investment and have a low damage potential with respect to the structure and contents;
 - (iv) Structures will not be used for human habitation;
 - (v) Structures comply with the wet floodproofing requirements in Article 4, Section B(3).
- (i) Permits for accessory structures larger than the size allowed for in subsection (7)(h) of this Article, shall require a variance to be granted on a case-by-case basis in accordance with Article 7, Section D(3). Variances shall not be granted for entire subdivisions for accessory structures.
- (j) Permits for new construction of all agricultural structures shall require a variance to be granted on a case-by-case basis in accordance with Article 7, Section D(4).

- (8) Underground and Aboveground Storage (Liquid and Gas) Tanks - Tanks and tank inlets, fill openings, outlets, and vents that are located below the DFE shall be designed, constructed, installed, and anchored to resist all flood-related loads (flotation, collapse, or lateral movement resulting from hydrostatic and hydrodynamic forces) and any other loads, including the effects of buoyancy, during flooding up to and including the 100-year flood and without release of contents into floodwaters or infiltration of floodwaters into the tanks.

- (a) A permit that includes floodplain development shall be required prior to construction or installation of any underground and aboveground tanks (including their foundation and support systems) located within a special flood hazard area.
 - (b) Loads on underground tanks and aboveground tanks exposed to flooding shall be determined assuming at least 1.3 times the potential buoyant and other flood forces acting on the empty tank.
 - (c) Tanks and associated piping shall be installed to resist local scour and erosion during the 100-year flood.
 - (d) Aboveground tanks located in Zone A/AE flood hazard areas shall be either:
 - (i) Elevated to or above the DFE on platforms or structural fill,
 - (ii) Elevated to or above the DFE where attached to structures and the foundation system supporting the structures shall be designed to accommodate any increased loads resulting from the attached tanks,
 - (iii) Permitted below the DFE where the tank and its foundation are designed to resist all flood-related loads including floating debris, or
 - (iv) Permitted below the DFE where the tank and its foundation are designed to resist flood loads and are located inside a barrier designed to protect the tank from floating debris.
 - (e) Aboveground tanks located in areas designated as Zone V/VE, Coastal A-Zones, and other high-risk flood hazard areas (see ASCE 24-14) shall be elevated to or above the DFE on platforms that conform to the foundation requirements of ASCE 24-14, Section 4.5. Aboveground tanks shall not be permitted to be located under elevated structures or attached to structures at elevations below one foot above the DFE in these areas.
 - (f) Underground tanks located in areas designated as Zone V/VE, Coastal A-Zones, and other high-risk flood hazard areas (see ASCE 24-14) shall have the determination of flood-related loads take into consideration the eroded ground elevation.
 - (g) Tank inlets, fill openings, outlets, and vents shall be:
 - (i) At or above the DFE or fitted with covers designed to prevent the inflow of floodwater or outflow of the contents of the tanks during conditions of the 100-year flood.
 - (ii) Anchored to prevent lateral movement resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy, during conditions of the 100-year flood.
- (9) Structures and Sites for the Storage or Production of Hazardous Substances – Require that all outdoor storage sites, new construction and substantial improvements to be used for the production or storage of hazard substances (as defined in Article 7) which are located in the special flood hazard area shall be built in accordance with all applicable standards in this Ordinance in addition to the following requirements:
- (a) No structures containing hazardous substances shall be permitted for construction in a floodway;
 - (b) Residential structures shall have the area in which the hazard substances are to be stored elevated or dry floodproofed a minimum of two (2) feet above the BFE;
 - (c) Non-residential structures shall be permitted to be built below the BFE in accordance with Article 4, Section B(2) such that the area where the hazard substance production or storage is located will be:
 - (i) elevated or designed and constructed to remain completely dry to at least two (2) feet above the BFE, and

- (ii) designed to prevent pollution from the storage containers, structure, or activity during the course of the base flood.
 - (d) Any solid, liquid, or gas storage containers of hazardous substances and any associated mechanical, electrical, and conveyance equipment shall be watertight and shall be properly anchored and protected from the hydrostatic and hydrodynamic forces of flood waters and debris carried by the base flood.
- (10) Construction of Fences - New and replacement fences may be allowed in flood hazard areas if they do not act as a flow boundary and redirect the direction of flow, collect flood debris and cause blockages, cause localized increases in flood levels, or if damaged, become debris that may cause damage to other structures.

SECTION C FLOODWAYS

Located within Special Flood Hazard Areas established in Article 2, Section B, are areas designated as floodway. A floodway may be an extremely hazardous area due to velocity floodwaters, debris or erosion potential. In addition, the area must remain free of encroachment in order to allow for the discharge of the base flood without increased flood heights. Therefore, the following provisions shall apply:

- (1) The City shall select and adopt a regulatory floodway based on the principle that the area chosen for the regulatory floodway must be designed to carry the waters of the base flood, without increasing the water surface elevation of that flood more than one foot at any point;
- (2) Encroachments, including fill, new construction, substantial improvements or other development are prohibited within the adopted regulatory floodway unless it is demonstrated through hydrologic and hydraulic analyses performed in accordance with standard engineering practice that the proposed encroachment would not result in any increase in BFEs during the occurrence of the base flood discharge. A registered professional engineer must provide supporting technical data and certification (“No-Rise Certificate”) to FEMA for the proposed floodway encroachment. The No-Rise Certificate must be submitted to the Floodplain Administrator with the development permit (including a Site Plan showing the current and proposed floodway alignment) for approval.
- (3) Only if Article 4, Section C, provisions (1) and (2) are satisfied, then any new construction or substantial improvement in a floodway shall comply with all other applicable flood hazard reduction provisions of Article 4. After satisfying the required provisions stated in this section, encroachments in floodways should be limited to the following types of projects:
 - (a) flood control and stormwater management structures;
 - (b) road improvements and repairs;
 - (c) utility easements/rights-of-way; and
 - (d) public improvements or public structures for bridging over the floodway.
- (4) Fencing shall be prohibited in floodways unless it is demonstrated that such development will not cause any increase in the BFE. Appropriate analysis and documentation shall be submitted along with the development permit for review and approval. Fences that have the potential to block or restrict the passage of floodwaters (by trapping debris or with openings too small to allow unhindered passage of water), such as stockade and wire mesh fences, shall meet the requirements of Article 4, Section C(2).

SECTION D

BUILDING STANDARDS FOR STREAMS WITHOUT ESTABLISHED BASE FLOOD ELEVATIONS (APPROXIMATE A-ZONES)

Located within the SFHAs established in Article 2, Section B, where streams exist but no base flood data have been provided (Approximate A-Zones), the following provisions apply:

- (1) BFE data shall be provided for new subdivision proposals and other proposed development (including manufactured home parks and subdivisions) greater than fifty (50) lots or five (5) acres, whichever is the lesser.
- (2) When BFE data or floodway data have not been provided in accordance with Article 2, Section B then the Floodplain Administrator shall obtain, review, and reasonably utilize any scientific or historic BFE and floodway data available from a Federal, State, or other source, in order to administer the provisions of Article 4. Only if data are not available from these sources, then Article 4, Section D, provisions (4) and (5) shall apply.
- (3) All development in Zone A must meet the requirements of Article 4, Section A and Sections B(1), B(2), B(3), B(5), B(6), B(7), B(8), B(9), and B(10).
- (4) In SFHAs without BFE data, new construction and substantial improvements of existing structures shall have the lowest floor (for the lowest enclosed area; including basement) elevated no less than three (3) feet above the highest adjacent grade. As the requirements set forth in Article 4, Section B(1) and B(2) stipulate the lowest floor to be elevated no less than one foot about the BFE, then the structure for this condition shall be elevated no less than four (4) feet about the highest adjacent grade.
- (5) In the absence of a BFE, a manufactured home must also meet the elevation requirements of Article 4, Section B(4)(b)(ii) – B(4)(b)(iv) in that the structure cannot be elevated above a maximum of sixty (60) inches (five (5) feet) and all utilities and mechanical equipment must be elevated a minimum of three (3) feet above the highest adjacent grade.
- (6) Enclosures for elevated buildings in Zone A areas shall comply with the standards of Article 4, Section B(3)(a). The Floodplain Administrator shall certify the lowest floor elevation level and the record shall become a permanent part of the permit file.

SECTION E

STANDARDS FOR AREAS OF SHALLOW FLOODING (AO ZONES)

Special flood hazard areas established in Article 2, Section B may include designated “AO” shallow flooding areas. These areas have base flood depths of one (1) to three (3) feet above ground, with no clearly defined channel. The following provisions apply:

- (1) All new construction and substantial improvements of residential and nonresidential structures shall have the lowest floor, including basement, elevated above the highest adjacent grade at least as high as the depth number specified on the Flood Insurance Rate Map (FIRM) plus one foot of freeboard. If no depth number is specified, the lowest floor (including basement) shall be elevated at least three (3) feet above the highest adjacent grade. Openings sufficient to facilitate the unimpeded movements of flood waters shall be provided in accordance with standards of Article 4, Section B(3).

The Floodplain Administrator shall certify the lowest floor elevation level and the record shall become a permanent part of the permit file.

- (2) New construction and the substantial improvement of a non-residential structure may be floodproofed in lieu of elevation. The structure, together with attendant utility and sanitary facilities, must be designed to be water tight to the specified flood level in Article 4, Section E(1) or three (3) feet (if no depth number is specified), above highest adjacent grade, with walls substantially impermeable to the passage of water, and structural components having the capability of resisting hydrostatic and hydrodynamic loads and the effect of buoyancy. As the requirements set forth in Article 4, Section B(1) and B(2) stipulate the lowest floor to be elevated no less than one foot about the BFE, then the structure for this condition shall be elevated no less than four (4) feet about the highest adjacent grade.

A professional engineer, who is licensed to practice in the State of Alabama, or licensed architect, who is registered in the State of Alabama, shall certify that the design and methods of construction are in accordance with accepted standards of practice for meeting the provisions above and shall provide such certification to the official as set forth above and as required in Article 3, Section B(1) and (2).

- (3) Drainage paths shall be provided to guide floodwater around and away from any proposed structure.

SECTION F. STANDARDS FOR COASTAL HIGH HAZARD AREAS (V-ZONES)

Located within the areas of special flood hazard established in Article 2, Section B, are areas designated as Coastal High Hazard areas (V-Zones). These areas have special flood hazards associated with wave action and storm surge; therefore, the following provisions shall apply, in addition to the standards of Article 4:

- (1) All new construction and substantial improvements of existing structures shall be located landward of the reach of the mean high tide.
- (2) All new construction and substantial improvements of existing structures shall be elevated on piles, columns, or shear walls parallel to the flow of water so that:
 - (a) The bottom of the lowest supporting horizontal structural member (excluding pilings or columns) is located no lower than one (1) foot above the base flood elevation or to the design flood elevation; whichever is higher. All space below the lowest supporting member shall remain free of obstruction.
 - (b) Open lattice work, non-supporting breakaway walls, or decorative screening may be permitted for aesthetic purposes only and built in accordance with Article 4, Section F(5) below.
 - (c) All pile and column foundations and the structures attached thereto shall be anchored to resist flotation, collapse, and lateral movement due to the combined effects of wind and water loads acting simultaneously on *all* building components, both (non-structural and structural). Water and wind loading values shall be in accordance with the most current edition of the State Building Code and any applicable local building standards.
- (3) All new construction and substantial improvements of existing structures shall be securely anchored on pilings, columns, or shear walls.

- (4) A professional engineer, who is licensed to practice in the State of Alabama, or licensed architect, who is registered in the State of Alabama shall develop or review the structural design, specifications and plans for construction and shall certify that the design and methods of construction to be used are in accordance with accepted standards of practice for meeting the provisions contained in Article 4, Section F(2), (3), and (4) herein.
- (5) For all new construction and substantial improvements in Zones V1-30, VE, and V the space below the lowest horizontal-supporting member must be free of obstruction or constructed with non-supporting breakaway walls, open wood or vinyl latticework, or insect screening which must be designed to collapse under wind and water loads without causing collapse, displacement, or other structural damage to the elevated portion of the building or supporting foundation system. The following design specifications are required:
- (a) No solid or supporting walls shall be allowed, and
 - (b) Material shall consist of lattice or mesh screening only.
 - (c) If aesthetic lattice work, non-supporting breakaway walls, or screening is utilized, any enclosed space shall not be used for human habitation but, shall be designed to be used only for parking of vehicles, building access, or limited storage of maintenance equipment used in connection with the premises.
 - (d) For the purpose of this section, a breakaway wall shall have a design safe loading resistance of not less than ten (10) and no more than twenty (20) pounds per square foot. Breakaway wall enclosures shall not exceed two hundred ninety-nine (299) square feet. Use of breakaway walls which exceed a design safe loading resistance of twenty (20) pounds per square foot (either by design or when so required by local codes) may be permitted only if a professional engineer, who is licensed to practice in the State of Alabama, or licensed architect, who is registered in the State of Alabama certifies that the designs proposed meet the following conditions:
 - (i) Breakaway wall collapse shall result from water load less than that which would occur during the base flood, and
 - (ii) The elevated portion of the building and supporting foundation system shall not be subject to collapse, displacement, or other structural damage due to effects of wind and water loads acting simultaneously on all building components (structural and nonstructural). Water loading values used shall be those associated with the base flood. Wind loading values used shall be those requirements by applicable state or local building codes.
 - (iii) The lowest horizontal structural member shall be oriented perpendicular, where possible, to the expected wave crest in order to reduce the impact load from the waves.
- (6) Enclosures below elevated buildings shall be useable solely for storage, parking of vehicles, or building access. Such space will not be used for human habitation and not finished or partitioned into separate rooms.
- (7) Above grade (hanging) enclosures shall have flood openings in accordance with Article 4, Section B(3) and be constructed with flood damage-resistant material below the design flood elevation. One (1) or more floor grates or drains shall be installed in the enclosure floor to allow water to have unimpeded ingress into and egress from the enclosure to reduce damages from buoyancy loads and from added weight.
- (8) Prior to construction, plans for any structure using lattice, breakaway walls, or decorative screening must be submitted to the Floodplain Administrator for approval.

- (9) Any alteration, repair, reconstruction or improvement to any structure shall not enclose the space below the lowest floor except with latticework, breakaway walls, or decorative screening, as provided in this Section.
- (10) Obtain the elevation (in relation to mean sea level) of the bottom of the lowest structural *member* of the lowest floor (excluding pilings and columns) of all new and substantially improved structures in Zones V1-30, VE, and V and Coastal AE Zones. The Floodplain Administrator shall maintain a record of all such information.
- (11) Prohibit the use of fill for structural support of buildings or structures and from being placed or used under the buildings or structures except for minor site grading for drainage purposes. Nonstructural fill may be used on coastal building sites for minor landscaping and site grading for drainage purposes to the extent that the fill does not interfere with the free passage of floodwaters and debris underneath buildings or cause changes in flow direction during coastal storms. Changes to site grades, other than those prescribed above, must be avoided as they can cause damage to buildings on the site or to adjacent buildings.

The Floodplain Administrator shall approve design plans for landscaping/ aesthetic fill only after the applicant has provided an analysis by an engineer, architect, and/or soil scientist, which demonstrates that the following factors have been fully considered:

- (a) Particle composition of fill material does not have a tendency for excessive natural compaction;
 - (b) Volume and distribution of fill will not cause wave deflection to adjacent properties; and
 - (c) Slope of fill will not cause wave run-up or ramping.
- (12) Fill placed in coastal zones should be similar (compatible) to the natural soils in the area and not contain large rocks or debris, organic materials, or clay. Minor site grading is to be limited to the addition of one to two feet of coastal zone compatible soils. If additional fill (greater than two (2) feet) or non-compatible soils are to be added to the site, certification by a professional engineer or architect shall be submitted along with design calculations demonstrating that no adverse impacts will result to the building. (For guidance, see FEMA Technical Bulletin #5 “Free of Obstruction Requirements”).
 - (13) Prohibit man-made alteration of sand dunes and mangrove stands which would increase potential flood damage.
 - (14) Require that manufactured homes placed or substantially improved within Zones V1-30, V, and VE on the City’s FIRM on sites:
 - (a) Outside of a manufactured home park or subdivision,
 - (b) In a new manufactured home park or subdivision,
 - (c) In an expansion to an existing manufactured home park or subdivision, or
 - (d) In an existing manufactured home park or subdivision on which a manufactured home has incurred “substantial damage” as the result of a flood; meet the standards of Article 4, Sections F(1) through F(13) of this section.
 - (15) A recreational vehicle placed on a site in a VE Zone must meet all the applicable requirements for “new construction” in Article 4, Sections A and B including the elevation and anchoring requirements for manufactured homes, unless it is either:
 - (a) On the site for fewer than one hundred eighty (180) consecutive days, or
 - (b) Fully licensed and ready for highway use. “Ready for highway use” means that it is on its wheels or jacking system, has a valid state license tag, is attached to the site only by quick disconnect type utilities, and has no permanently attached additions.

If a recreational vehicle does not meet the criteria of Article 4, Section E(17)(a) and (b), then it must meet the requirements in Sections D(2) through D(15) along with all other provisions for development in this Ordinance.

SECTION G STANDARDS FOR SUBDIVISIONS AND OTHER DEVELOPMENT

All subdivision proposals and other proposed development (including proposals for manufactured home parks and subdivisions) greater than fifty (50) lots or five (5) acres, whichever is the lesser, shall include within the drawings, plans, and permits for such proposals the following:

- (1) BFE data;
- (2) Provisions to minimize flood damage;
- (3) Public utilities and facilities such as sewer, gas, electrical and water systems located and constructed to minimize flood damage;
- (4) Adequate drainage provided to reduce exposure to flood hazards without negatively impacting adjacent properties;
- (5) Preliminary plans for review and approval of the platted subdivision which identifies the Special Flood Hazard Area, floodway boundaries, the BFE, and other areas regulated by the City;
- (6) Final subdivision plats that identify the boundary of the special flood hazard area, the floodway boundary, the BFEs, and any drainage easements to reduce the risk for flash flooding;

SECTION H. CRITICAL FACILITIES

Construction of new and substantially improved critical facilities, which are those for which the effects of even a slight chance of flooding would be too great, shall be located outside the limits of the SFHA or other flood hazard area regulated by the City. These types of facilities (hospitals, fire stations, police stations, storage of critical records, etc.) are given special consideration when formulating regulatory alternatives and floodplain management plans. Construction of new critical facilities (including the modification of an existing structure not previously classified as a critical facility) shall be permissible within the SFHA or other area regulated by the City only if no feasible alternative site is available and access to the facilities remains available during a 0.2 percent chance flood (a.k.a., 500-year flood).

- (1) Critical facilities constructed within the SFHAs shall have the lowest floor elevated three feet above the BFE at the site (or to the 0.2 percent chance flood elevation, whichever is greater).
- (2) Floodproofing and sealing measures must be implemented to ensure that any and all on-site toxic substances will not be displaced by or released into floodwaters.
- (3) Multiple access routes, elevated to or above the 0.2 percent chance flood elevation, shall be provided to all critical facilities to the maximum extent possible.
- (4) Critical facilities must be protected to or above the 0.2 percent chance flood and must remain operable during such an event.

- (a) The City's flood response plan must list critical facilities.
 - (b) Other facilities in low-risk flood zones that may also be needed to support flood response efforts must be included on the critical facility list.
- (5) The "use" classification of any structure shall not be changed to that of a critical facility, where such a change in use will render the new critical facility out of conformance with this section.

ARTICLE 5
VARIANCE PROCEDURES

SECTION A. DESIGNATION OF VARIANCE AND APPEALS BOARD

The Board of Zoning Adjustments, as established by the City Council of the City of Daphne, shall hear and decide requests for appeals or variance from the requirements of this Ordinance.

SECTION B. DUTIES OF BOARD

The Board of Zoning Adjustments shall hear and decide appeals when it is alleged an error in any requirement, decision, or determination is made by the Floodplain Administrator in the enforcement or administration of this Ordinance. Any person aggrieved by the decision of the Board of Zoning Adjustments may appeal such decision to the Baldwin County Circuit Court, as provided in State statute.

SECTION C. CONDITIONS FOR VARIANCES

The provisions of this Ordinance are minimum standards for flood loss reduction, therefore any deviation from the standards must be weighed carefully. Variances shall only be issued upon a determination that the variance is the minimum necessary, considering the flood hazard, to afford relief.

- (1) A variance may be issued for new construction and substantial improvements to be erected on a lot of one-half (0.5) acre or less in size, contiguous to and surrounded by lots with existing structures constructed below the base flood level, in conformance with the procedures of Sections C(3), C(4), F(1) and F(2) of this Article.
- (2) In the instance of a Historic Structure, a determination is required that the variance is the minimum necessary so as not to destroy the historic character and design of the building.
- (3) A variance shall be issued *only* when there is:
 - (a) A finding of good and sufficient cause;
 - (b) A determination that failure to grant the variance would result in exceptional hardship (cannot be personal physical or financial hardship); and
 - (c) A determination that the granting of a variance will not result in increased flood heights, additional threats to public safety, extraordinary public expense, create nuisance, cause fraud on or victimization of the public, or conflict with existing local laws or ordinances.
- (4) A variance shall only be issued upon a determination that the variance is the minimum necessary, considering the flood hazard, to afford relief.
- (5) Variances shall not be issued “after the fact.”

SECTION D. VARIANCE PROCEDURES

In reviewing requests for variance, the Board of Zoning Adjustments shall consider all technical evaluations, relevant factors, and standards specified in other sections of this Ordinance, and:

- (1) Certain facilities and structures must be located on or adjacent to water in order to perform their intended purpose which may result in practical and operational difficulties due to the physical

characteristics of the property. Variances may be issued for development necessary for conducting of a functionally dependent use, provided the criteria of this Article are met, no reasonable alternative exists, the development is protected by methods that minimize flood damage during the base flood, and it creates no additional threats to public safety.

- (2) Variances shall not be issued within any designated floodway if *any* increase in flood levels during the base flood discharge would result.
- (3) Variances may be issued for the construction or substantial improvement of accessory structures provided it has been determined that the proposed structure:
 - (a) Represents minimal investment and has low damage potential (amount of physical damage, contents damage, and loss of function).
 - (b) Is larger than the size limits specified in Article 4, Section B(7)(i).
 - (c) Complies with the wet floodproofing construction requirements of Article 4, Section (B)(3).
- (4) Variances may be issued for the construction or substantial improvement of agricultural structures provided it has been determined that the proposed structure:
 - (a) Is used exclusively in connection with the production, harvesting, storage, raising, or drying of agricultural commodities and livestock, or storage of tools or equipment used in connection with these purposes or uses, and will be restricted to such exclusive uses.
 - (b) Has low damage potential (amount of physical damage, contents damage, and loss of function).
 - (c) Does not increase risks and pose a danger to public health, safety, and welfare if flooded and contents are released, including but not limited to the effects of flooding on manure storage, livestock confinement operations, liquified natural gas terminals, and production and storage of highly volatile, toxic, or water-reactive materials.
 - (d) Is an aquaculture structure that is dependent on proximity to water if located in a coastal high-hazard area (Zones V, VE, V1 30, and VO).
 - (e) Complies with the wet floodproofing construction requirements of Article 4, Section (B)(3).
- (5) The evaluation must be based on the characteristics unique to that property and not be shared by adjacent parcels. The characteristics must pertain to the land itself, not to the structure, its inhabitants, or its owners.
- (6) Variances should never be granted for multiple lots, phases of subdivisions, or entire subdivisions.
- (7) Careful consideration and evaluation should be given to the following factors:
 - (a) The danger of life and property due to flooding or erosion damage including materials that may be swept onto other lands to the injury of others.
 - (b) The susceptibility of the proposed facility and its contents to flood damage and the effect of such damage on the individual owner and the City.
 - (c) The safety of access to the property during flood conditions for daily traffic and emergency vehicles.
 - (d) The importance of the services provided by the proposed facility to the City.
 - (e) The necessity of the facility to be at a waterfront location, where applicable.
 - (f) The compatibility of the proposed use with existing and anticipated development based on the City's comprehensive plan for that area.

- (g) If applicable, the expected heights, velocity, duration, rate of rise, and sediment transport of the floodwaters and the effects of wave action expected at the site.
- (h) The costs associated with providing governmental services to the development during and after flood conditions, including maintenance and repair of public utilities and facilities such as sewer, gas, electrical, and water systems, and City infrastructure such as streets, bridges, and culverts.

Upon consideration of factors listed above, and the purpose of this Ordinance, the Board of Zoning Adjustments may attach such conditions to the granting of variances as it deems necessary to further the purposes of this Ordinance.

SECTION E. VARIANCES FOR HISTORIC STRUCTURES

Variances may be issued for the repair or rehabilitation of Historic Structures upon a determination that the proposed repair or rehabilitation will not preclude the structure's continued designation as a Historic Structure and the variance is the minimum to preserve the historic character and design of the structure.

SECTION F. VARIANCE NOTIFICATION AND RECORDS

- (1) Any applicant to whom a variance is granted shall be given written notice over the signature of a community official that specifies the difference between the BFE and the elevation of the proposed lowest floor and stating that the issuance of such a variance could:
 - (a) result in flood insurance rate increases in the hundreds and possibly thousands of dollars annually depending on structure and site-specific conditions; and
 - (b) increase the risk to life and property resulting from construction below the base flood level.
- (2) The Floodplain Administrator shall maintain a record of all variance actions and appeal actions, including justification for their issuance. Report any variances to the Federal Emergency Management Agency Region 4 and the Alabama Department of Economic and Community Affairs/Office of Water Resources upon request.
- (3) A copy of the notice shall be recorded by the Floodplain Administrator in the Office of the City Clerk and shall be recorded in a manner so that it appears in the chain of title (i.e., deed) of the affected parcel of land.

ARTICLE 6

DEFINITIONS

Unless specifically defined below, words or phrases used in this Ordinance shall be interpreted so as to give them the meaning they have in common usage and to give this Ordinance its most reasonable application.

A Zone means the special flood hazard areas on a FIRM without base flood elevations determined.

Accessory Structure (also referred to as Appurtenant Structures) means a structure which is located on the same parcel of property as a principal structure and the use of which is incidental to the use

of the principal structure. Detached garages and small sheds used for limited storage are considered accessory structures. Other examples of accessory structures include gazebos, picnic pavilions, boathouses, small pole barns, storage sheds, and similar buildings. An accessory structure specifically excludes structures used for human habitation.

Addition (to an Existing Building) means any improvement that increases the square footage of a structure. These include lateral additions added to the front, side, or rear of a structure, vertical additions added on top of a structure, and enclosures added underneath a structure. NFIP regulations for new construction apply to any addition that is considered a substantial improvement to a structure.

AE Zone means the special flood hazard areas on a FIRM with base flood elevations determined.

Agricultural Structure means a walled and roofed structure used exclusively for agricultural purposes or uses in connection with the production, harvesting, storage, raising, or drying of agricultural commodities and livestock, including aquatic organisms. Aquaculture structures are included within this definition. Structures that house tools or equipment used in connection with these purposes or uses are also considered to have agricultural purposes or uses.

AH Zone means area of special flood hazards on a FIRM having shallow water depths and/or unpredictable flow paths between one (1) and three (3) feet, and with water surface elevations determined.

AO Zone means an area of special flood hazards on a FIRM having shallow water depths and /or unpredictable flow paths between one (1) and three (3) feet.

Appeal means a request for a review of the Floodplain Administrator's interpretation of any provision of this Ordinance.

Appurtenant Structure (see definition for "Accessory Structure")

AR/AE, AR/AH, AR/AO, and AR/A Zones means an area of special flood hazard on a FIRM that results from the decertification of a previously accredited flood protection system that is determined to be in the process of being restored to provide base flood protection.

A99 Zone means an area of special flood hazard on a FIRM where enough progress has been made on a protective system, such as dikes, dams, and levees, to consider it complete for insurance rating purposes.

Area of Future-conditions Flood Hazard means the land area that would be inundated by the 1-percent-annual-chance (100-year) flood based on future-conditions hydrology.

Area of Shallow Flooding means a designated AO, AH, AR/AO, AR/AH or VO zone on a community's FIRM with a 1 percent or greater annual chance of flooding to an average depth of one (1) to three (3) feet where a clearly defined channel does not exist, where the path of flooding unpredictable, and where velocity flow may be evident. Such flooding is characterized by ponding or sheet flow.

Area of Special Flood Hazard (see definition for "Special Flood Hazard Area")

Base Flood means the flood having a one percent (1%) chance of being equaled or exceeded in any given year (also referred to as the "one percent (1%) chance flood").

Base Flood Elevation (BFE) means the elevation of surface water resulting from a flood that has a 1% chance of equaling or exceeding that level in any given year. The BFE is shown on the FIRM for zones AE, AH, A1–A30, AR, AR/A, AR/AE, AR/A1– A30, AR/AH, AR/AO, V1–V30 and VE. It is the regulatory requirement for the elevation of flood proofing of structures. The relationship between the BFE and a structure’s elevation determines the flood insurance premium.

Basement means any portion of a building having its floor sub grade (below ground level) on all sides.

Breakaway wall means a wall that is not part of the structural support of the building and is intended through its design and construction to collapse under specific lateral loading forces, without causing damage to the elevated portion of the building or supporting foundation system.

Building (also see “**Structure**”) means a structure with two or more outside rigid walls and a fully secured roof that is affixed to a permanent site; a manufactured home or a mobile home without wheels, built on a chassis and affixed to a permanent foundation, that is regulated under the City’s floodplain management and building ordinances or laws. “Building” does not mean a gas or liquid storage tank or a recreational vehicle, park trailer or other similar vehicle.

Coastal A Zone means the area landward of a V Zone, or landward of an open coast without mapped V Zones. In a Coastal A Zone, the principal source of flooding will be astronomical tides, storm surges, seiches or tsunamis, not riverine flooding. During base flood conditions, the potential for breaking wave heights between 1.5 feet and 3.0 feet will exist.

Coastal Barrier Resources System means the system of protected coastal areas that includes ocean-front land, the Great Lakes and Other Protected Areas (OPAs). Coastal barriers serve as important buffers between coastal storms and inland areas, often protecting properties on land from serious flood damage. Also, coastal barriers provide a protective habitat for aquatic plants and animals. The Coastal Barrier Resources Act (CBRA) of 1982 restricted development on the CBRS, in an effort to protect the barrier system and prevent future flood damage. If you live in a CBRS area, you are eligible for federally regulated flood insurance only if your property was built before 1982 and your community participates in the NFIP.

Coastal high hazard area means an area of special flood hazard extending from offshore to the inland limit of a primary frontal dune along an open coast and any other area subject to high velocity wave action from storms or seismic sources.

Community means any State or area or political subdivision thereof, or any Indian tribe or authorized tribal organization, or authorized native organization, which has authority to adopt and enforce floodplain management regulations for the areas within its jurisdiction.

Community Rating System (CRS) means a voluntary program developed by the Federal Insurance Administration to provide incentives for those communities in the Regular Program that have gone beyond the minimum floodplain management requirements to develop extra measures to provide protection from flooding.

Condominium Building means a type of building in the form of ownership in which each unit owner has an undivided interest in common elements of the building.

Critical Facility (aka, critical action) means facilities or activities for which even a slight chance of flooding is too great a threat. Typical critical facilities include hospitals, fire stations, police stations, storage of critical records, and similar facilities. These facilities should be given special consideration when formulating regulatory alternatives and floodplain management plans. A critical facility should not be located in a floodplain if at all possible.

Critical Feature means an integral and readily identifiable part of a flood protection system, without which the flood protection provided by the entire system would be compromised.

D Zone means an area in which the flood hazard is undetermined.

Dam means an artificial barrier, that has the ability to impound water, wastewater, or any liquid-borne material, for the purpose of storage or control of water.

Design Flood Elevation (DFE) means the locally adopted regulatory flood elevation. It is the minimum elevation to which a structure must be elevated or floodproofed. DFE is the sum of the base flood elevation and freeboard, based a building's structural category. In areas designated as Zone AO on a community's flood map, the DFE is the elevation of the highest existing grade of a building's perimeter plus the depth number specified on the flood hazard map. In areas designated as Zone AO where a depth is not specified on the map, the depth is two feet. In all cases, the DFE must be at least as high as the base flood elevation.

Developed Area means an area of a community that is:

- a. A primarily urbanized, built-up area that is a minimum of twenty (20) contiguous acres, has basic urban infrastructure, including roads, utilities, communications, and public facilities, to sustain industrial, residential, and commercial activities, and
 - i. Within which seventy-five percent (75%) or more of the parcels, tracts, or lots contain commercial, industrial, or residential structures or uses; or
 - ii. Is a single parcel, tract, or lot in which seventy-five percent (75%) of the area contains existing commercial or industrial structures or uses; or
 - iii. Is a subdivision developed at a density of at least two residential structures per acre within which seventy-five percent (75%) or more of the lots contain existing residential structures at the time the designation is adopted.
- b. Undeveloped parcels, tracts, or lots, the combination of which is less than twenty (20) acres and contiguous on at least three (3) sides to areas meeting the criteria of paragraph "a" at the time the designation is adopted.
- c. A subdivision that is a minimum of twenty (20) contiguous acres that has obtained all necessary government approvals, provided that the actual "start of construction" of structures has occurred on at least ten percent (10%) of the lots or remaining lots of a subdivision or ten percent (10%) of the maximum building coverage or remaining building coverage allowed for a single lot subdivision at the time the designation is adopted and construction of structures is underway. Residential subdivisions must meet the density criteria in paragraph (a)(iii).

Development means any man-made change to improved or unimproved real estate, including, but not limited to, buildings or other structures, mining, dredging, filling, grading, paving, excavation, drilling operations, or storage of equipment or materials.

Elevated Building means, for insurance purposes, a non-basement building which has its lowest elevated floor raised above ground level by foundation walls, shear walls, pilings, posts, columns, piers, or shear walls.

Elevation Certificate means a FEMA form used as an administrative tool of the NFIP to provide building elevation information necessary to ensure compliance with community floodplain management ordinances, to inform the proper insurance premium, and to support a request for a LOMA, CLOMA, LOMR-F, or CLOMR-F.

Encroachment means activities or construction within the floodway including fill, new construction, substantial improvements, and other development.

Existing Construction means, for the purposes of determining rates, structures for which the “start of construction” commenced before the effective date of the FIRM or before January 1, 1975, for FIRMs effective before that date. “Existing construction” may also be referred to as “existing structures.” For floodplain management purposes, existing construction means structures for which the start of construction commenced before the effective date of the first floodplain management regulation adopted by the City (December 5, 1984).

Existing Manufactured Home Park or Subdivision means a manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including at a minimum the installation of utilities, the construction of streets, and final site grading or the pouring of concrete pads) is completed before the effective date of the original floodplain management regulations adopted by the City (December 5, 1984).

Expansion to an Existing Manufactured Home Park or Subdivision means the preparation of additional sites by the construction of facilities for servicing the lots on which the manufactured homes are to be affixed, including the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads.

FEMA Administrator means the Administrator of the Federal Emergency Management Agency (FEMA).

Fair Market Value means the price that the seller is willing to accept and the buyer is to pay on the open market and in an arm’s length transaction.

Flood or Flooding means:

- a. A general and temporary condition of partial or complete inundation of normally dry land areas from:
 - i. The overflow of inland or tidal waters.
 - ii. The unusual and rapid accumulation or runoff of surface waters from any source.
 - iii. Mudslides which are proximately caused by flooding as described in part “b.” of this definition and are akin to a river of liquid and flowing mud on the surfaces of normally dry land areas, as when earth is carried by a current of water and deposited along the path of the current.
- b. The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually highwater level in a natural body of water, accompanied by a severe storm, or by an unanticipated force of nature, such as flash flood or an

abnormal tidal surge, or by some similarly unusual and unforeseeable event which results in flooding as defined in paragraph “a” of this definition.

Flood Damage-Resistant Material means any building product capable of withstanding direct and prolonged contact with floodwaters without sustaining significant damage. Prolonged contact is defined as at least seventy-two (72) hours. Significant damage is any damage requiring more than low-cost cosmetic repair (such as painting).

Flood Elevation Determination means a determination by the Federal Insurance Administrator of the water surface elevations of the base flood, that is, the flood level that has a one percent (1%) or greater chance of occurrence in any given year.

Flood Elevation Study means an examination, evaluation, and determination of flood hazards and, if appropriate, corresponding water surface elevations, or an examination, evaluation, and determination of mudslide (i.e., mudflow) and/or flood-related erosion hazards.

Flood Hazard Boundary Map (FHBM) means an official map of a community, issued by the Federal Insurance Administration, where the boundaries of special flood hazard areas have been designated as Zones A, M, and/or E.

Flood Insurance Rate Map (FIRM) means an official map of a community, on which the Federal Insurance Administrator has delineated both the special hazard areas and the risk premium zones applicable to the City. A FIRM that has been made available digitally is called a Digital Flood Insurance Rate Map (DFIRM).

Flood Insurance Study (see “**Flood Elevation Study**”)

Floodplain (or Flood-Prone Area) means any land area susceptible to being inundated by water from any source (see definition of “**Flooding**”).

Floodplain Management means the operation of an overall program of corrective and preventive measures for reducing flood damage, including but not limited to emergency preparedness plans, flood control works, and floodplain management regulations.

Floodplain Management Regulations means this Ordinance and other zoning ordinances, subdivision regulations, building codes, health regulations, special purpose ordinances (such as those for floodplain management, stormwater management, watershed management, grading/ earthwork, and erosion control), and other applications of police power. This term describes state or local regulations in any combination thereof, which provide standards for the purpose of flood damage prevention and reduction.

Floodproofing means any combination of structural and nonstructural additions, changes or adjustments to structures, which reduce or eliminate risk of flood damage to real estate or improved real property, water and sanitation facilities, structures, and their contents.

Floodway (see definition for “**Regulatory Floodway**”)

Floodway Fringe (or Flood Fringe) means the portion of the Special Flood Hazard Area outside of the floodway, which experiences shallower, lower-velocity floodwater than in the floodway. It serves as a temporary floodwater storage area during a flood.

Floodway Encroachment Lines mean the lines marking the limits of floodways on Federal, State and local flood plain maps.

Freeboard means a factor of safety usually expressed in feet above a flood level for purposes of flood plain management. “Freeboard” tends to compensate for the many unknown factors that could contribute to flood heights greater than the height calculated for a selected size flood and floodway conditions, such as wave action, bridge openings, and the hydrological effect of urbanization of the watershed.

Functionally Dependent Use means a use which cannot perform its intended purpose unless it is located or carried out in close proximity to water. The term includes only docking facilities, port facilities that are necessary for the loading and unloading of cargo or passengers, and ship building and ship repair facilities, but does not include long-term storage or related manufacturing facilities.

Future-conditions Flood Hazard Area, or Future-conditions Floodplain (see “Area of Future-conditions Flood Hazard”)

Future-conditions Hydrology means the flood discharges associated with projected land-use conditions based on a community’s zoning maps and/or comprehensive land-use plans and without consideration of projected future construction of flood detention structures or projected future hydraulic modifications within a stream or other waterway, such as bridge and culvert construction, fill, and excavation.

Hazardous Substance (or Material) means any substance or material that, when involved in an accident and released in sufficient quantities, poses a risk to people’s health, safety, and/or property. These substances and materials include explosives, radioactive materials, flammable liquids or solids, combustible liquids or solids, poisons, oxidizers, toxins, and corrosive materials. It includes any substance defined as a hazardous substance pursuant to 42 U.S.C. §9601(14) or listed as a hazardous waste pursuant to the Hazardous Wastes Management Act, Section 22-30-1 et seq. and the regulations promulgated thereunder.

Highest Adjacent Grade means the highest natural elevation of the ground surface, prior to construction, next to the proposed walls of a structure.

Historic Structure means any structure that is:

- a. Listed individually in the National Register of Historic Places (a listing maintained by the U.S. Department of Interior) or preliminarily determined by the Secretary of the Interior as meeting the requirements for individual listing on the National Register;
- b. Certified or preliminarily determined by the Secretary of the Interior as contributing to the historical significance of a registered historic district or a district preliminarily determined by the Secretary to qualify as a registered historic district;
- c. Individually listed on a state inventory of historic places and determined as eligible by states with historic preservation programs which have been approved by the Secretary of the Interior;
or

- d. Individually listed on a local inventory of historic places and determined as eligible by communities with historic preservation programs that have been certified either:
 - i. By an approved state program as determined by the Secretary of the Interior, or
 - ii. Directly by the Secretary of the Interior in states without approved programs.

Increased Cost of Compliance (ICC) means a claim under a standard NFIP flood insurance policy, available to flood insurance policyholders who need additional funding to rebuild after a flood. It provides up to \$30,000 to help cover the increased cost of mitigation measures to bring a building into compliance with the latest state or local floodplain management ordinances. Acceptable mitigation measures are elevation, floodproofing, relocation, and demolition, or any combination of these measures.

Letter of Map Change (LOMC) is an official FEMA determination, by letter, to amend or revise effective Flood Insurance Rate Maps, Flood Boundary and Floodway Maps, and Flood Insurance Studies. LOMCs are broken down into the following categories:

- a. **Letter of Map Amendment (LOMA)**
An amendment based on technical data showing that a property was incorrectly included in a designated SFHA, was not elevated by fill (only by a natural grade elevation), and will not be inundated by the one percent (1%) chance flood. A LOMA amends the current effective FIRM and establishes that a specific property is not located in a SFHA.
- b. **Letter of Map Revision (LOMR)**
A revision based on technical data that, usually due to manmade changes, shows changes to flood zones, flood elevations, floodplain and floodway delineations, and planimetric features. One common type of LOMR, a LOMR-F, is a determination concerning whether a structure or parcel has been elevated by fill above the BFE and is, therefore, excluded from the SFHA.
- c. **Conditional Letter of Map Revision (CLOMR)**
A formal review and comment by FEMA as to whether a proposed project complies with the minimum NFIP floodplain management criteria. A CLOMR does not revise effective Flood Insurance Rate Maps, Flood Boundary and Floodway Maps, or Flood Insurance Studies.

Levee means a man-made structure, usually an earthen embankment, designed and constructed in accordance with sound engineering practices to contain, control, or divert the flow of water so as to provide protection from temporary flooding.

Levee System means a flood protection system which consists of a levee, or levees, and associated structures, such as closure and drainage devices, which are constructed and operated in accordance with sound engineering practices.

Lowest Adjacent Grade means the lowest elevation of the natural or regraded ground surface, or structural fill (or concrete slab or pavement), at the location of a structure.

Lowest Floor means the lowest floor of the lowest enclosed area (including basement). An unfinished or flood resistant enclosure, used solely for parking of vehicles, building access, or storage, in an area other than a basement, is not considered a building's lowest floor, provided that such enclosure is not built so as to render the structure in violation of other provisions of this Ordinance. This definition applies even when the floor below ground level is not enclosed by full-height walls.

Manufactured Home means a structure, transportable in one or more sections, which is built on a permanent chassis and is designed for use with or without a permanent foundation when attached to the required utilities. The term “manufactured home” does not include a “recreational vehicle”.

Manufactured Home Park or Subdivision means a parcel (or contiguous parcels) of land divided into two or more manufactured home lots for rent or sale.

Market Value (see definition for “Fair Market Value”)

Mean Sea Level means, for purposes of the National Flood Insurance Program, the National Geodetic Vertical Datum (NGVD) of 1929 or other datum, to which base flood elevations shown on a community’s Flood Insurance Rate Map are referenced.

Mixed Use Building means a building that has both residential and non-residential uses.

National Flood Insurance Program (NFIP) is a federal program created by the United States Congress in 1968 to identify flood-prone areas nationwide and make flood insurance available for properties in participating communities. Communities must enact and enforce floodplain management regulations that meet or exceed the criteria established by FEMA in order to participate in the program. This program requires properties within the floodplain with a federally backed or regulated mortgage, or those that receive federal housing subsidies, to buy flood insurance.

National Geodetic Vertical Datum (NGVD) of 1929 means a national standard reference datum for elevations, formerly referred to as Mean Sea Level (MSL) of 1929. NGVD 1929 may be used as the reference datum on some Flood Insurance Rate Maps (FIRMs).

New Construction means, for the purposes of determining insurance rates, structures for which the “start of construction” commenced on or after the effective date of an initial FIRM or after December 31, 1974, whichever is later, and includes any subsequent improvements to such structures. For floodplain management purposes, new construction means structures for which the start of construction commenced on or after the effective date of the original floodplain management regulation adopted by the City (December 5, 1984) and includes any subsequent improvements to such structures. An existing building is considered to be new construction if it is substantially improved or once it has been repaired after being substantially damaged/improved.

New Manufactured Home Park or Subdivision means a manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) is completed on or after the effective date of floodplain management regulations adopted by the City (December 5, 1984).

Non-Residential Building means, a commercial or mixed-use building where the primary use is commercial or non-habitational.

Non-residential Property means either a non-residential building, the contents within a non-residential building, or both.

North American Vertical Datum (NAVD) of 1988 means the vertical control datum established for vertical control surveying in the United States of America based upon the General Adjustment of the

North American Datum of 1988. It replaces the National Geodetic Vertical Datum (NGVD) of 1929. Used by FEMA in many recent Flood Insurance Studies as the basis for measuring flood, ground, and structural elevations.

Obstruction means, but is not limited to, any dam, wall, wharf, embankment, levee, dike, pile, abutment, protection, excavation, channel construction, bridge, culvert, building, wire, fence, rock, gravel, refuse, fill, structure, vegetation or other material in, along, across or projecting into any watercourse which may alter, impede, retard or change the direction and/or velocity of the flow of water, or due to its location, its propensity to snare or collect debris carried by the flow of water, or its likelihood of being carried downstream.

Post-FIRM means, for floodplain management purposes, a post-FIRM building is one for which construction began after the effective date of a community's NFIP-compliant floodplain management ordinance (February 21, 1975). For the purpose of determining flood insurance rates under the NFIP, a post-FIRM building is a building for which construction began on or after the effective date of an initial Flood Insurance Rate Map or after December 31, 1974, whichever is later, including any subsequent improvements to such structures.

Pre-FIRM means, for floodplain management purposes, a building for which the start of construction occurred before the effective date of the City's NFIP-compliant floodplain management ordinance. For the purpose of determining flood insurance rates under the NFIP, a pre-FIRM building is a building for which construction began prior to the effective date of an initial Flood Insurance Rate Map or on or before December 31, 1974, whichever is later.

Primary frontal dune means a continuous or nearly continuous mound or ridge of sand with relatively steep seaward and landward slopes immediately landward and adjacent to the beach and subject to erosion and overtopping from high tides and waves during major coastal storms. The inland limit of the primary frontal dune occurs at the point where there is a distinct change from a relatively steep slope to a relatively mild slope.

Recreational Vehicle means a vehicle which is:

- a. Built on a single chassis;
- b. 400 square feet or less when measured at the largest horizontal projection;
- c. Designed to be self-propelled or permanently towable by a light duty truck; and
- d. Designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel, or seasonal use.

Regular Program means the Program authorized by the Act under which risk premium rates are required for the first half of available coverage (also known as "first layer" coverage) for all new construction and substantial improvements started on or after the effective date of the FIRM, or after December 31, 1974, for FIRM's effective on or before that date. All buildings, the construction of which started before the effective date of the FIRM, or before January 1, 1975, for FIRMs effective before that date, are eligible for first layer coverage at either subsidized rates or risk premium rates, whichever are lower. Regardless of date of construction, risk premium rates are always required for the second layer coverage and such coverage is offered only after the FEMA Administrator has completed a risk study for the City.

Regulatory Floodway means the channel of a river or other watercourse and the adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than a designated height.

Remedy a Violation means to bring the structures or other development into full or partial compliance with State or local regulations or, if this is not possible, to reduce the impacts of its non-compliance. Ways that impacts may be reduced include protecting the structure or other affected development from flood damages, implementing the enforcement provision of the ordinance or otherwise deterring future similar violations, or reducing Federal financial exposure with regard to the structure or other development.

Repetitive Loss Agricultural Structure means an agricultural structure covered by a NFIP contract for flood insurance that has incurred flood-related damage on two (2) separate occasions in which the cost of repair, on the average, equaled or exceeded twenty-five percent (25%) of the value of the structure at the time of each such flood event.

Repetitive Loss Property means any NFIP-insured single family or multi-family residential building for which two or more claims of more than \$1,000 were paid by the NFIP within any rolling 10-year period, since 1978. A repetitive loss property may or may not be currently insured by the NFIP.

Residential Building means a non-commercial building designed for habitation by one or more families or a mixed-use building that qualifies as a single-family, two-to-four family, or other residential building.

Residential Property means either a residential building or the contents within a residential building, or both.

Riverine means floodplain relating to, formed by, or resembling a river (including tributaries), stream, brook, etc. Riverine floodplains have readily identifiable channels.

Sand dunes means naturally occurring accumulations of sand in ridges or mounds landward of the beach.

Section 1316 means Section 1316 of the National Flood Insurance Act of 1968, as amended, which provides for the denial of flood insurance coverage for any property which the FEMA Administrator finds has been declared by a duly constituted State or local authority to be in violation of State or local floodplain management regulations. Once a duly constituted State or local authority declares a structure as being in violation, the FEMA Administrator must deny flood insurance coverage provided that the individual or office making the declaration has the authority to do so and that the law or regulations violated was, in fact, intended to discourage or otherwise restrict land development or occupancy in the flood-prone area. Section 1316 was intended for use primarily as a backup for local enforcement actions (i.e., if a community could not force compliance through the enforcement mechanisms in its regulations, it could use Section 1316 as additional leverage) and was not intended merely as a mechanism to remove bad risks from the policy base. Section 1316 will only be implemented in instances where States or communities submit declarations specifically for that purpose.

Severe Repetitive Loss Structure means a single family property (consisting of 1 to 4 residences) that is covered under flood insurance by the NFIP and has incurred flood-related damage for which 4 or more separate claims payments have been paid under flood insurance coverage, with the amount of each

claim payment exceeding \$5,000 and with cumulative amount of such claims payments exceeding \$20,000; or for which at least two (2) separate claims payments have been made with the cumulative amount of such claims exceeding the reported value of the property.

Sheet Flow Area (see definition for “**Area of Shallow Flooding**”)

Single-family Dwelling means either (a) a residential single-family building in which the total floor area devoted to non-residential uses is less than fifty percent (50%) of the building’s total floor area, or (b) a single-family residential unit within a two-to-four family building, other-residential building, business, or non-residential building, in which commercial uses within the unit are limited to less than fifty percent (50%) of the unit’s total floor area.

Special Flood Hazard Area (SFHA) means the land in the floodplain within a community subject to a one percent (1%) or greater chance of flooding in any given year as shown on a FHBM or FIRM as Zones A, AE, AH, AO, AR, AR/AE, AR/AO, AR/AH, AR/A, A99, or VE. The SFHA is the area where the National Flood Insurance Program’s (NFIP’s) floodplain management regulations must be enforced and the area where the mandatory purchase of flood insurance applies.

Start of Construction (for other than new construction or substantial improvements under the Coastal Barrier Resources Act (Pub. L. 97-348)) means the date the development or building permit was issued (includes substantial improvement), provided the actual start of construction, repair, reconstruction, or improvement was within 180 days of the permit date. The actual start means the first placement of permanent construction of the structure (including a manufactured home) on a site, such as the pouring of slabs or footings, installation of piles, construction of columns, or any work beyond the stage of excavation, and includes the placement of a manufactured home on a foundation.

“Permanent construction” does not include initial land preparation, such as clearing, grading and filling; nor does it include the installation of streets and/or walkways; nor does it include excavation for a basement, footings, piers or foundations or the erection of temporary forms; nor does it include the installation on the property of accessory buildings, such as garages or sheds not occupied as dwelling units or part of the main structure. For a substantial improvement, the actual start of construction means the first alteration of any wall, ceiling, floor, or other structural part of a building, whether or not that alteration affects the external dimensions of the building.

Structure means, for floodplain management purposes, a walled and roofed building, including a liquid or gas storage tank, that is principally above ground, as well as a manufactured home. The terms “structure” and “building” are interchangeable in the NFIP. For insurance purposes, “Structure” means:

- (1) A building with two (2) or more outside rigid walls and a fully secured roof, that is affixed to a permanent site;
- (2) A manufactured home (“a manufactured home,” also known as a mobile home, is a structure: built on a permanent chassis, transported to its site in one or more sections, and affixed to a permanent foundation); or
- (3) A travel trailer without wheels, built on a chassis and affixed to a permanent foundation, that is regulated under the City’s floodplain management and building ordinances or laws.

For the latter purpose, “Structure” does not mean a recreational vehicle or a park trailer or other similar vehicle, except as described in paragraph (3) of this definition, or a gas or liquid storage tank.

Substantial Damage means damage of any origin sustained by a structure whereby the cost of restoring the structure to it before damaged condition would equal or exceed 50 percent of the market value of the structure before the damage occurred.

Substantial Improvement means any reconstruction, rehabilitation, addition, or other improvement of a structure, the cost of which equals or exceeds fifty percent (50%) of the market value of the structure before the “start of construction” of the improvement. This term includes structures which have incurred “repetitive loss” or “substantial damage,” regardless of the actual repair work performed. The term does not, however, include either:

- a. Any project for improvement of a structure to correct existing violations of state or local health, sanitary, or safety code specifications which have been identified by the local code enforcement official and which are the minimum necessary to assure safe living conditions (provided that said code deficiencies were not caused by neglect or lack of maintenance on the part of the current or previous owners); or
- b. Any alteration of a “historic structure”, provided that the alteration will not preclude the structure’s continued designation as a “historic structure.”

Variance means a grant of relief by the City’s Board of Zoning Adjustment from the terms of a floodplain management regulation.

V Zone see Coastal High Hazard Area.

Violation means the failure of a structure or other development to be fully compliant with this Ordinance. A structure or other development without the elevation certificate, other certifications, or other evidence of compliance required in the Code of Federal Regulations (CFR) §44, Sec. 60.3(b)(5), (c)(4), (c)(10), (d)(3), (e)(2), (e)(4), (e)(5) is presumed to be in violation until such time as that documentation is provided.

Watercourse means only the channel and banks of an identifiable watercourse and not the adjoining floodplain areas. The flood carrying capacity of a watercourse refers to the flood carrying capacity of the channel.

Water surface elevation means the height, in relation to the National Geodetic Vertical Datum (NGVD) of 1929 (or other datum, where specified) of floods of various magnitudes and frequencies in the floodplains of coastal or riverine areas.

Wet floodproofing means a method of construction that involves modifying a building to allow floodwaters to enter it in order to minimize damage to the building, using flood damage-resistant materials below the DFE throughout the building, raising utilities and important contents to or above the DFE, installing and configuring electrical and mechanical systems to minimize disruptions and facilitate repairs, installing flood openings or other methods to equalize the hydrostatic pressure exerted by floodwaters, and, where required, installing pumps to gradually remove floodwater from basement areas after the flood. Wet floodproofing shall not be utilized as a method to satisfy the requirements of this Ordinance for bringing substantially damaged or improved structures into compliance. Wet floodproofing is not allowed in lieu of complying with the lowest floor elevation requirements for new residential buildings.

X Zones (shaded) means the areas on a FIRM subject to inundation by the flood that has a 0.2-percent chance of being equaled or exceeded during any given year, often referred to as the 500-year flood.

X Zones (unshaded) designates areas on a FIRM where the annual probability of flooding is less than 0.2 percent.

Zone of Imminent Collapse means an area subject to erosion adjacent to the shoreline of an ocean, bay, or lake and within a distance equal to ten (10) feet plus five (5) times the average annual long-term erosion rate for the site, measured from the reference feature.

ARTICLE 7

LEGAL STATUS PROVISIONS

SECTION A. SEVERABILITY

If any section, clause, sentence, or phrase of this Ordinance is held to be invalid or unconstitutional by any court of competent jurisdiction, then said holding shall in no way affect the validity of the remaining portions of this Ordinance.

SECTION B. ENFORCEABILITY OF ORDINANCE AND FUTURE REVISIONS

The provisions within this Ordinance must be legally enforceable; applied uniformly throughout the City to all privately and publicly owned land within any regulated flood hazard areas; meet the minimum standards set forth in §60.3 of the Code of Federal Regulations Title 44; and the City must provide that the provisions of this Ordinance take precedence over any less restrictive conflicting local laws, ordinances, or codes.

If the City repeals its floodplain management regulations, allows its regulations to lapse, or amends its regulations so that they no longer meet the minimum requirements set forth in §60.3 of the Code of Federal Regulations Title 44, it shall be suspended from the National Flood Insurance Program (NFIP). The City's eligibility shall remain terminated after suspension until copies of adequate floodplain management regulations have been received and approved by the Federal Insurance Administrator. To avoid such occurrences, the City will coordinate with the Alabama NFIP State Coordinator and FEMA Regional Office prior to any revisions to this Ordinance. Without prior approval of the Federal Insurance Administrator, the City shall not adopt and enforce revised floodplain management regulations.

From time-to-time, Part 60 of the Code of Federal Regulations Title 44 may be revised to advance flood risk reduction measures as experience is acquired under the NFIP and new information becomes available. The City agrees to revise its floodplain management Ordinance to comply with any such changes within six (6) months from the effective date of any new federal regulation.

SECTION C. REPEALER

Ordinance 2019-10 is hereby repealed and replaced with this Ordinance. Any other ordinance or parts of ordinances conflicting with the provisions of this Ordinance is hereby repealed insofar as they conflict. This Repealer shall not, however, affect, terminate, or preclude any rights, duties, requirements, or terms which arose or existed while said ordinance was in effect, all of which are specifically preserved.

SECTION D. EFFECTIVE DATE

This Ordinance shall take effect and be in force from and after the date of its approval by the City Council of the City of Daphne and publication as required by law, with an effective date of January 1, 2024.

ADOPTED AND APPROVED BY THE CITY COUNCIL OF THE CITY OF DAPHNE, ALABAMA, THIS ____ DAY OF _____, 2024.

Robin LeJeune, Mayor

ATTEST:

Candace G. Antinarella, MMC, City Clerk

I hereby certify that this is a true and correct copy of the Floodplain Development Ordinance as adopted by the City Council of the City of Daphne, Alabama, on the ____ day of _____, _____.

WITNESS my hand and the official seal of the City of Daphne, Alabama, by CANDACE G. ANTINARELLA, its City Clerk, this the ____ day of _____, 20____

(signature)

{seal}

**CITY OF DAPHNE, ALABAMA
ORDINANCE 2024-03**

**AN ORDINANCE CONSENTING TO THE SALE BY THE UTILITIES BOARD OF THE
CITY OF DAPHNE OF CERTAIN SURPLUS PERSONAL PROPERTY**

WHEREAS, the Utilities Board of the City of Daphne (“Daphne Utilities”) is required to receive the consent of the City of Daphne before it sells property under the provisions of Ala. Code §11-50-314(a)(10); and

WHEREAS, the management of Daphne Utilities has determined that it is in the best interest of Daphne Utilities to sell the personal property described in Exhibit “2024A-C”; and

WHEREAS, the Board of Directors of Daphne Utilities has approved the sale of the personal property described in Exhibit “2024-A-C”.

NOW, THEREFORE, BE IT ORDAINED that the City Council of the City of Daphne does hereby consent to the sale by Daphne Utilities of the personal property described in Exhibit “2024-A-C”.

ADOPTED AND APPROVED BY THE CITY COUNCIL OF THE CITY OF DAPHNE, ALABAMA on this _____ day of _____, 2024.

Robin Le Jeune, Mayor

ATTEST:

Candace G. Antinarella, MMC, City Clerk

EXHIBIT A

MEMO

TO: Daphne Utilities Board
FROM: Kimberly Nicholson
DATE: January 31, 2024
RE: Surplus Property - Exhibit A – Chairs

Desk and office chairs previously used at various offices and locations have reached the point of surplus. These chairs are no longer needed at any location and have been replaced as applicable. Request these chairs to be declared surplus property and subsequently sold through GovDeals.



EXHIBIT B

MEMO

TO: Daphne Utilities Board

FROM: Kimberly Nicholson

DATE: January 31, 2024

RE: Surplus Property - Exhibit B – Miscellaneous Electronic Hardware

Miscellaneous Electronic Hardware to include monitors, keyboards, surge protectors, towers, etc. used at various offices and locations, have each reached the point of surplus. These items are no longer needed at any location and have been replaced as applicable. Request for all this electronic hardware to be declared surplus property and subsequently sold through GovDeals.



EXHIBIT C

MEMO

TO: Daphne Utilities Board
FROM: Kimberly Nicholson
DATE: January 31, 2024
RE: Surplus Property - Exhibit C – Utility Sinks

Three utility sinks have each reached the point of surplus. These items are no longer needed at any location and have been replaced as applicable. Request for these sinks to be declared surplus property and subsequently sold through GovDeals.

